

Package: fellingdater (via r-universe)

July 21, 2024

Title Estimate, report and combine felling dates of historical tree-ring series

Version 1.0.2

Description fellingdater is an R package that aims to facilitate the analysis and interpretation of tree-ring data from wooden cultural heritage objects and structures. The package standardizes the process of computing and combining felling date estimates, both for individual and groups of related tree-ring series.

URL <https://docs.ropensci.org/fellingdater>,
<https://github.com/ropensci/fellingdater>

BugReports <https://github.com/ropensci/fellingdater/issues>

License MIT + file LICENSE

Encoding UTF-8

Language en-GB

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Depends R (>= 4.1.0)

LazyData true

Imports dplyr, ggplot2, ggtext, MASS, tidyR, utils, dplR

Suggests covr, knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat.edition 3

VignetteBuilder knitr

Repository <https://ropensci.r-universe.dev>

RemoteUrl <https://github.com/ropensci/fellingdater>

RemoteRef main

RemoteSha 39c4e62e174652000ca6cc8f1b40d15996eabe0c

Contents

Brathen_1982	3
cor_table	3
fd_report	6
fellingdater	8
fh_header	9
hdi	9
Hollstein_1980	10
Miles_1997_NM	11
Miles_1997_SC	12
Miles_1997_WBC	12
mov_av	13
Pilcher_1987	14
read_fh	15
Sohar_2012_ELL_c	16
Sohar_2012_ELL_t	17
Sohar_2012_FWE_c	18
Sohar_2012_FWE_t	18
sw_combine	19
sw_combine_plot	21
sw_data_info	22
sw_data_overview	23
sw_interval	23
sw_interval_plot	25
sw_model	26
sw_model_plot	27
sw_sum	28
sw_sum_plot	29
trs_example0	30
trs_example1	31
trs_example2	31
trs_example3	32
trs_example4	33
trs_example5	33
trs_example6	34
trs_example7	34
vanDaalen_NLBE	35
vanDaalen_Norway	36
Wazny_1990	36

Brathen_1982

Brathen 1982 sapwood data set.

Description

Sapwood data set for Western Sweden published by Bräthen in 1982.

Usage

Brathen_1982

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 69 observations

Source

Bräthen A. 1982. A tree-ring chronology from the western part of Sweden. Sapwood and a dating problem, in: Hackens T., Mejdal V. (Eds.), Second Nordic Conference on the Application of Scientific Methods in Archaeology, PACT 7(1). pp. 27–35.

Examples

```
sw_data_info("Brathen_1982")  
sw_model("Brathen_1982", plot = TRUE)
```

cor_table

Calculate correlation values between tree-ring series

Description

This function calculates common correlation values between dated tree-ring series (*x*) and a set of reference chronologies (*y*). When no master chronologies are provided, each series in *x* is compared to all other series in *x*.

Only values are reported for pairs of series with a common overlap $\geq \text{min_overlap}$.

The correlation values computed include:

- *glk*: 'Gleichläufigkeit' or 'percentage of parallel variation' (Buras & Wilmking 2015; Eckstein & Bauch 1969; Huber 1942; Visser 2020)
- *glk_p*: significance level associated with the *glk*-value (Jansma 1995)
- *r_pearson*: the Pearson's correlation coefficient
- *t_St*: Student's t-value
- *t_BP*: t-values according to the Baillie & Pilcher (1973) algorithm
- *t_Ho*: t-values according to the Hollstein (1980) algorithm

Usage

```
cor_table(
  x,
  y = NULL,
  min_overlap = 50,
  remove_duplicates = TRUE,
  output = "table",
  sort_by = "t_Ho"
)
```

Arguments

<i>x</i>	A <code>data.frame</code> of class 'rwl' with tree-ring data. Each column represents a measurement series, and row names correspond to (calendar) years.
<i>y</i>	A <code>data.frame</code> of class 'rwl' with tree-ring data. Each column represents a measurement series or chronology, and row names correspond to (calendar) years. If <code>NULL</code> (default), <i>x</i> is compared to itself (<i>y</i> = <i>x</i>).
<i>min_overlap</i>	A numeric value specifying the minimum overlap required between series for correlation calculation.
<i>remove_duplicates</i>	A logical value. If <code>TRUE</code> , identical pairs of series and references are removed from the output.
<i>output</i>	The desired output format, either "matrix" or "table" (default).
<i>sort_by</i>	The correlation value by which the output is sorted for each series in <i>x</i> . One of "r_pearson", "t_St", "glk", "glk_p", "t_BP", "t_Ho". Default to "t_Ho"

Details

This function computes various correlation values between tree-ring series in a `data.frame` *x* and a set of reference chronologies in a `data.frame` *y*. If *y* is not provided, it compares each series in *x* to all other series in '*x*'.

Value

The function returns a list of correlation matrices if `output` is set to "matrix." If `output` is set to "table," it returns a `data.frame` reporting all correlation values.

References

- Baillie, M.G.L., Pilcher, J.R. (1973) A simple crossdating program for tree-ring research. *Tree-Ring Bulletin* **33**, 7–14. <http://hdl.handle.net/10150/260029>
- Buras, A. and Wilmking, M. (2015) Correcting the calculation of Gleichläufigkeit, *Dendrochronologia* **34**, 29-30. <https://doi.org/10.1016/j.dendro.2015.03.003>
- Eckstein, D. and Bauch, J. (1969) Beitrag zur Rationalisierung eines dendrochronologischen Verfahrens und zur Analyse seiner Aussagesicherheit. *Forstwissenschaftliches Centralblatt*, **88**(1), 230-250.
- Huber, B. (1943) Über die Sicherheit jahrringchronologischer Datierung. *Holz als Roh- und Werkstoff* **6**, 263-268. <https://doi.org/10.1007/BF02603303>
- Hollstein E. (1980) Mitteleuropäische Eichenchronologie. Trierer dendrochronologische Forschungen zur Archäologie und Kunstgeschichte, Trierer Grabungen und Forschungen **11**, Mainz am Rhein.
- Jansma, E. (1995) RemembeRINGS; The development and application of local and regional tree-ring chronologies of oak for the purposes of archaeological and historical research in the Netherlands, Nederlandse Archeologische Rapporten **19**, Rijksdienst voor het Oudheidkundig Bodemonderzoek, Amersfoort. <https://dspace.library.uu.nl/handle/1874/45149>
- Schweingruber, F. H. (1988) Tree rings: basics and applications of dendrochronology, Kluwer Academic Publishers, Dordrecht, Netherlands, 276 p.
- Visser, R.M. (2020) On the similarity of tree-ring patterns: Assessing the influence of semi-synchronous growth changes on the Gleichläufigkeit for big tree-ring data sets, *Archaeometry* **63**, 204-215. <https://doi.org/10.1111/arcm.12600>

Examples

```
# example code

Doel1 <- system.file("extdata", "DOEL1.fh", package = "fellingdater")
Doel1_trs <- read_fh(Doel1, verbose = FALSE)
# crossdating ring-width series from Doel 1 against each other:

cor_results <- cor_table(Doel1_trs, output = "table", min_overlap = 80,
sort_by = "t_Ho", remove_duplicates = TRUE)
head(cor_results,20)
```

fd_report

Report felling dates of individual tree-ring series

Description

This function reports the felling date estimate of individual tree-ring series, based on the presence/absence of sapwood and/or waney edge. There are three possible modes of reporting:

- a *terminus post quem* or *earliest possible felling date*: when only heartwood rings have been observed and measured
- a felling date range or interval: when sapwood rings have been recorded, but no bark or waney edge is present.
- an exact felling date: when bark or waney edge is present on the measured sample.

Reports the lower and upper boundaries of a felling date range for individual tree-ring series.

Usage

```
fd_report(
  x,
  series = "series",
  last = "last",
  n_sapwood = "n_sapwood",
  waneyedge = "waneyedge",
  sw_data = "Hollstein_1980",
  cred_mass = 0.954,
  densfun = "lognormal"
)
```

Arguments

x	Name of a data.frame with at least four columns, providing information on <ul style="list-style-type: none"> • the id's of the tree-ring series • the number of sapwood rings observed • the presence of waney edge • the date assigned to the last measured ring.
series	A column describing the sapwood data set to be used for modelling and the computation of the hdi can be provided as well.
last	Name of the column in x where id's of the tree-ring series are listed as character values.
n_sapwood	Name of the column in x which lists the calendar year assigned to the last measured ring (should be a numeric vector).

waneyedge	Name of the column in x indicating the presence (TRUE)/absence (FALSE) of waney edge (should be a logical vector).
sw_data	There are two options: <ul style="list-style-type: none"> • A character string providing the name of the sapwood data set to use for modelling. It should be one of the data sets listed in sw_data_overview(), or the name of a data.frame with sapwood data in columns n_sapwood and count, or • the name of the column in x that lists for each series one of the sapwood data sets given by sw_data_overview().
cred_mass	A scalar [0, 1] specifying the mass within the credible interval (default = .954).
densfun	Name of the density function fitted to the sapwood data set. Should be one of: <ul style="list-style-type: none"> • <i>lognormal</i> (the default value), • <i>normal</i>, • <i>weibull</i>, • <i>gamma</i>.

Value

A data.frame reporting the estimate of the felling date for each tree-ring series?

See Also

[sw_interval\(\)](#), [sw_data_overview\(\)](#), [sw_interval_plot\(\)](#)

Examples

```

tmp <- data.frame(id = c("aaa", "bbb", "ccc"),
                   swr = c(10, 11, 12),
                   waneyedge = c(FALSE, FALSE, TRUE),
                   end = c(10, 0, -10))
fd_report(tmp,
          series = "id",
          n_sapwood = "swr",
          last = "end",
          sw_data = "Wazny_1990")

# Example with different sw_model for individual series

sw_models_for_indiv_series <- c("Sohar_2012_ELL_c",
                                 "Wazny_1990",
                                 "Hollstein_1980",
                                 "vanDaalen_Norway",
                                 "vanDaalen_Norway")

trs_example2_edit <- cbind(trs_example2, "sw_models" = sw_models_for_indiv_series)

fd_report(trs_example2_edit,
          sw_data = "sw_models"

```

)

fellingdater*fellingdater*

Description

`fellingdater` is an R package that facilitate the analysis and interpretation of tree-ring data from wooden cultural heritage objects and structures. The package standardizes the process of computing and combining felling date estimates (fd), derived from the observed number of sapwood rings (sw), both for individual and groups of related tree-ring series.

Learn more about `fellingdater` at

<https://hanecakr.github.io/fellingdater/index.html/>

Author(s)

Maintainer: Kristof Haneca <Kristof.Haneca@vlaanderen.be> ([ORCID](#)) [copyright holder]

Other contributors:

- Koen Van Daele ([ORCID](#)) [contributor]
- Ronald Visser ([ORCID](#)) [contributor]
- Antonio Jesus Pérez-Luque ([ORCID](#)) [reviewer]
- Nicholas John Tierney ([ORCID](#)) [reviewer]

See Also

It's main functions are:

- `sw_model()`
- `sw_interval()`
- `fd_report()`
- `sw_combine()`
- `sw_sum()`

fh_header*Retrieve the HEADER fields of a Heidelberg format (.fh) file*

Description

This function reports the HEADER fields from a Heidelberg format (.fh) ring-width file. The header fields are harvested from the .fh-file by the `read_fh()` function, which stores the HEADER fields from the .fh file as attributes of the `data.frame` with the measurement data it returns.

Usage

```
fh_header(x)
```

Arguments

x	The output of <code>read_fh(x, header = TRUE)</code> , a <code>data.frame</code> of class <code>rwl</code> .
---	--

Value

A `data.frame` with 29 header fields.

Examples

```
Doe11 <- system.file("extdata", "DOEL1.fh", package = "fellingdater")
Doe11_trs <- read_fh(Doe11, verbose = FALSE)
fh_header(Doe11_trs)
```

hdi*Compute the highest posterior density interval (hdi)*

Description

This function returns a matrix with 'upper' and 'lower' limits of the hdi (*highest density interval*), and the associated probability 'p'. The function first sorts the input `data.frame` - with columns 'n_sapwood' and 'p' (the associated probability) - by column 'p' in decreasing order and then it calculates the HDI by finding the first value of the sorted probabilities higher than the specified `cred_mass`. It then finds the indices of the values that are greater than or equal to this threshold, and uses these indices to find the 'upper' and 'lower' limits of the hdi. The function also calculates the probability of the interval. The final result is returned as a `matrix` with 'lower', 'upper', and 'p' values.

This function is applied in functions [sw_model](#) and [sw_interval](#).

Usage

```
hdi(x, a = "n_sapwood", b = "p", cred_mass = 0.954)
```

Arguments

- x A `data.frame` with columns `n_sapwood` and `p` (the associated probability). `x` is computed in functions `sw_model`, `sw_interval`, and `sw_combine`.
- a The name of the column in `x` that lists the number of sapwood rings.
- b The name of the column in `x` that lists the the associated probability of having `n` sapwood rings.
- cred_mass A scalar [0, 1] specifying the mass within the credible interval (default = .954).

Value

A `matrix` with 'upper' and 'lower' limits of the hdi, and the associated probability 'p'.

Examples

```
tmp <- data.frame(n_sapwood = seq(1,30, 1),
                    p = dnorm(seq(1,30, 1), 15, 5))
hdi(tmp, cred_mass = 0.954)
```

Hollstein_1980

Hollstein 1980 sapwood data set.

Description

Sapwood data set for South and Central Germany published by Hollstein in 1980.

Usage

`Hollstein_1980`

Format

A tibble of 2 variables:

- n_sapwood** number of sapwood rings
- count** number of times `n_sapwood` was observed

Details

`sample size = 490 observations`

Source

Hollstein E. 1980. Mitteleuropäische Eichenchronologie: Trierer dendrochronologische Forschungen zur Archäologie und Kunstgeschichte, Trierer Grabungen und Forschungen. Verlag Philipp von Zabern, Mainz am Rhein.

Examples

```
sw_data_info("Hollstein_1980")  
sw_model("Hollstein_1980", plot = TRUE)
```

Miles_1997_NM

Miles 1997 sapwood data set.

Description

Sapwood data set for the Northern Midland counties (U.K.) - Cheshire, Staffordshire, West Midlands, Northamptonshire, Cambridgeshire, and everything to the north - published by Miles in 1997.

Usage

```
Miles_1997_NM
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings
count number of times n_sapwood was observed

Details

sample size = 295 observations

Source

Miles D. 1997. The interpretation, presentation and use of tree-ring dates. Vernacular architecture 28, 40–56. <https://doi.org/10.1179/030554797786050563>

Examples

```
sw_data_info("Miles_1997_NM")  
sw_model("Miles_1997_NM", plot = TRUE)
```

Miles_1997_SC

*Miles 1997 sapwood data set.***Description**

Sapwood data set for the Southern counties (U.K.), up to and including Gloucestershire, Warwickshire, Bedfordshire, Suffolk and Norfolk, published by Miles in 1997.

Usage

```
Miles_1997_SC
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 406 observations

Source

Miles D. 1997. The interpretation, presentation and use of tree-ring dates. Vernacular architecture 28, 40–56. <https://doi.org/10.1179/030554797786050563>

Examples

```
sw_data_info("Miles_1997_SC")
sw_model("Miles_1997_SC", plot = TRUE)
```

Miles_1997_WBC

*Miles 1997 sapwood data set.***Description**

Sapwood data set for Wales and border counties (U.K.), Shropshire, Hereford and Worcesterthe, published by Miles in 1997.

Usage

```
Miles_1997_WBC
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 219 observations

Source

Miles D. 1997. The interpretation, presentation and use of tree-ring dates. Vernacular architecture 28, 40–56. <https://doi.org/10.1179/030554797786050563>

Examples

```
sw_data_info("Miles_1997_WBC")
sw_model("Miles_1997_WBC", plot = TRUE)
```

mov_av

Compute a running mean on a time series

Description

This vectorized function computes a running mean/moving average over a continuous (time) series with a specified window width.

Usage

```
mov_av(x, w = 11, align = "center", edges = "fill")
```

Arguments

- | | |
|--------------|--|
| x | A numeric vector of <code>length(x)</code> , with the time series data. |
| w | The width of the moving average window. When <code>w</code> is even, one more value from the future is included. |
| align | The alignment of the window relative to the current data point. It can be one of: <ul style="list-style-type: none"> • <code>align = "center"</code>: The average is assigned to the center of the window (default). • <code>align = "left"</code>: The average includes the current value and the next (<code>w-1</code>) values. • <code>align = "right"</code>: The average includes the current value and the previous (<code>w-1</code>) values. |

- edges** Defines how values are computed at the start and end of the series. Options are:
- **edges = "fill"**: The average is calculated with a decreasing number of values near the edges of the vector (default).
 - **edges = "nofill"**: The result includes NA values when the window does not cover w values.

Value

A numeric vector of the same length of **x** with the computed running mean values.

Examples

```
num_vec <- sample(seq(50, 100, 1), 100, replace = TRUE)
filtered <- mov_av(num_vec, w = 5, align = "center", edges = "nofill")
plot(num_vec, type = "l")
lines(filtered, col = "darkblue")
```

Pilcher_1987

Pilcher 1987 sapwood data set.

Description

Sapwood data set for northern France , published by Pilcher in 1987.

Usage

Pilcher_1987

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings
count number of times n_sapwood was observed

Details

sample size = 219 observations

Source

Pilcher J.R. 1987. A 700 year dating chronology for northern France. Applications of tree-ring studies. Current research in dendrochronology and related subjects. BAR International Series 333, 127–139.

Examples

```
sw_data_info("Pilcher_1987")
sw_model("Pilcher_1987", plot = TRUE)
```

read_fh

Read a Heidelberg format (.fh) tree-ring file

Description

This function reads a Heidelberg format file (.fh) containing ring width data and returns the HEADER fields as attributes of the data.frame with the measurement data.

The Heidelberg file format is described in detail here: https://www.treeringsociety.org/resources/SOM/Brewer_Murphy_Supp.pdf

Usage

```
read_fh(fname, BC_correction = FALSE, verbose = TRUE, header = FALSE)
```

Arguments

- fname A character vector specifying the name of the .fh file to read.
- BC_correction A logical. If TRUE the correction moves BC-dates one year forward.
- verbose A logical. If FALSE, messages are suppressed during the reading process.
- header A logical. If TRUE the HEADER fields are returned as a data.frame; if FALSE, the measurement data is returned.

Details

This function reads .fh file with ring width data in either block (decadal format) or column format (e.g., with comment flags) as used by TSAP program. The function is also capable of reading chronologies or half-chronos in decadal format. The read_fh function is case-insensitive. Information found in the HEADER fields is listed as attributes of the data.frame with the measurement data. .

The header fields harvested from the .fh file include:

"Project", "FirstMeasurementDate", "Location", "Town", "Street", "Client", "Longitude", "Latitude", "DateOfSampling", "FirstMeasurementDate", "SapWoodRings", "Comment", "MissingRingsAfter", "InvalidRingsAfter", "MissingringsBefore", "DeltaMissingringsBefore", "ChronoMemberKeycodes", "PersId"

Value

If header is TRUE, a data.frame is returned with HEADER fields as attributes. If header is FALSE, a data.frame of class rw1 with ring-width measurements in columns is returned, with (calendar) years as row names.‘

Author(s)

The original `read.fh()` function is part of the **dplR package** (<https://github.com/opendendro/dplR>) and was developed by Christian Zang, with new features and patches contributed by Mikko Korpela and Ronald Visser. This `read_fh()` function expands the functionalities of the original `dplR::read.fh()`.

References

This function is an extension of `read.fh()` from the **dplR package** (<https://github.com/opendendro/dplR>), developed and maintained by Prof. dr. Andy Bunn (Bunn 2008, Bunn 2010, Bunn et al. 2022) on <https://opendendro.org/>.

Examples

```
Doe11 <- system.file("extdata", "DOEL1.fh", package = "fellingdate")
Doe11_trs <- read_fh(Doe11, verbose = FALSE)
head(Doe11_trs, 10)

Doe11_header <- read_fh(Doe11, verbose = FALSE, header = TRUE)
Doe11_header
```

Sohar_2012_ELL_c

Sohar et al. 2012 sapwood data set.

Description

Sapwood data set for Eastern Estonia, Latvia, Lithuania, published by Sohar et al. in 2012.

Usage

`Sohar_2012_ELL_c`

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

```
sample size = 562 observations
!!! sapwood determined by _color_
```

Source

Sohar K., Vitas A. & Läänelaid A. 2012. Sapwood estimates of pedunculate oak (*Quercus robur* L.) in eastern Baltic, Dendrochronologia 30.1, 49–56. <https://doi.org/10.1016/j.dendro.2011.08.001>

Examples

```
sw_data_info("Sohar_2012_ELL_c")
sw_model("Sohar_2012_ELL_c", plot = TRUE)
```

Sohar_2012_ELL_t

Sohar et al. 2012 sapwood data set.

Description

Sapwood data set for Eastern Estonia, Latvia, Lithuania, published by Sohar et al. in 2012.

Usage

`Sohar_2012_ELL_t`

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

```
sample size = 533 observations
!!! sapwood determined by presence of _tyloses_
```

Source

Sohar K., Vitas A. & Läänelaid A. 2012. Sapwood estimates of pedunculate oak (*Quercus robur* L.) in eastern Baltic, Dendrochronologia 30.1, 49–56. <https://doi.org/10.1016/j.dendro.2011.08.001>

Examples

```
sw_data_info("Sohar_2012_ELL_t")
sw_model("Sohar_2012_ELL_t", plot = TRUE)
```

Sohar_2012_FWE_c

Sohar et al. 2012 sapwood data set.

Description

Sapwood data set for Southern Finland and western Estonia, published by Sohar et al. in 2012.

Usage

```
Sohar_2012_FWE_c
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

```
sample size = 98 observations
!!! sapwood determined by _color_
```

Source

Sohar K., Vitas A. & Läänelaid A. 2012. Sapwood estimates of pedunculate oak (*Quercus robur* L.) in eastern Baltic, *Dendrochronologia* 30.1, 49–56. <https://doi.org/10.1016/j.dendro.2011.08.001>

Examples

```
sw_data_info("Sohar_2012_FWE_c")
sw_model("Sohar_2012_FWE_c", plot = TRUE)
```

Sohar_2012_FWE_t

Sohar et al. 2012 sapwood data set.

Description

Sapwood data set for Southern Finland and western Estonia, published by Sohar et al. in 2012.

Usage

```
Sohar_2012_FWE_t
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 97 observations

!!! sapwood determined by the presence of _tyloses_

Source

Sohar K., Vitas A. & Läänelaid A. 2012. Sapwood estimates of pedunculate oak (*Quercus robur* L.) in eastern Baltic, Dendrochronologia 30.1, 49–56. <https://doi.org/10.1016/j.dendro.2011.08.001>

Examples

```
sw_data_info("Sohar_2012_FWE_t")  
sw_model("Sohar_2012_FWE_t", plot = TRUE)
```

sw_combine

Compute a single felling date range by combining multiple sapwood estimates

Description

This function assesses whether it is possible to combine multiple sapwood estimates into a single felling date range.

Usage

```
sw_combine(  
  x,  
  series = "series",  
  last = "last",  
  n_sapwood = "n_sapwood",  
  waneyedge = "waneyedge",  
  sw_data = "Hollstein_1980",  
  densfun = "lognormal",  
  cred_mass = 0.954,  
  hdi = TRUE,  
  plot = FALSE  
)
```

Arguments

x	A <code>data.frame</code> with at least four columns, providing information on the ID's of the tree-ring series, the number of sapwood rings observed, the presence of waney edge and the calendar date assigned to the last measured ring. A column describing the sapwood data set to be used for modelling and the computation of the hdi can be provided as well.
series	Name of the column in x where ID's of the tree-ring series are listed as character values.
last	Name of the column in x where calendar years assigned to the last measured ring are listed (should be numeric).
n_sapwood	Name of the column in x where the number of observed sapwood rings are listed (should be numeric).
waneyedge	Name of the column in x indicating the presence (TRUE)/absence (FALSE) of waney edge (should be a logical vector).
sw_data	The name of the sapwood data set to use for modelling. It should be one of the data sets listed in <code>sw_data_overview()</code> , or the name of a <code>data.frame</code> with sapwood data in columns n_sapwood and count.
densfun	Name of the density function fitted to the sapwood data set. Should be one of: <ul style="list-style-type: none"> • <i>lognormal</i> (the default value), • <i>normal</i>, • <i>weibull</i>, • <i>gamma</i>.
cred_mass	A scalar [0, 1] specifying the mass within the credible interval (default = .954).
hdi	A logical parameter. If TRUE, the lower and upper limit of the highest density interval (credible interval) is given for the combined felling date. When FALSE, a matrix is returned with scaled p values for calendar years covering the combined estimate of the felling date range.
plot	A logical parameter. If TRUE a ggplot-plot style graph is returned of the individual and combined estimate of the felling date. If FALSE, a list with numeric output of the modelling process is returned.

Value

Depends on the value of plot. If TRUE a ggplot-style is returned, when FALSE a list with the combined probability (\$raw_data\$comb), the modelling parameters (\$sapwood_data, \$sapwood_model, \$cred_mass), the Highest Posterior Density Interval for combined combined felling date interval (\$hdi_combine), and the Agreement indices for the model (\$A_model) and individual series (\$individual_series\$agr_index). The rationale of the agreement index is outlined by Bronk Ramsey (1995; 2009)

References

- Bronk Ramsey, C. (1995) Radiocarbon calibration and analysis of stratigraphy: the OxCal program. *Radiocarbon* 37, 425–430. <https://doi.org/10.1017/S003382200030903>

- Bronk Ramsey, C. (2009) Bayesian analysis of radiocarbon dates. *Radiocarbon* **51**, 337–360.
<https://doi.org/10.1017/S0033822200033865>

See Also

[sw_combine\(\)](#)

Examples

```
# a data set in which all series have preserved sapwood

sw_combine(trs_example1, plot = TRUE)

# a data set in which one series has an exact felling date (= waney edge preserved)

trs_example2
sw_combine(trs_example2, plot = TRUE)

# a data set in which multiples series have an exact felling date

trs_example3
sw_combine(trs_example3, plot = FALSE)
```

[sw_combine_plot](#) *Plot the output of sw_combine()*

Description

This function plots the result of `sw_combine()` and the interval for, or the exact felling date of, a group of tree-ring series, with agreement indices for the global model.

Usage

`sw_combine_plot(x)`

Arguments

`x` Output of [sw_combine\(\)](#).

Value

A ggplot-style graph, with calendar years on the X-axis and the probability (p) on the Y-axis. Dots represent exact felling dates.

Examples

```
trs_example2
tmp <- sw_combine(trs_example2)
sw_combine_plot(tmp)
```

sw_data_info*Detailed information on a sapwood data set*

Description

This function returns more information on a sapwood data set. It lists the correct citation for the data set, the area the data set is supposed to represent, the number of observations and summary stats of the raw data.

Usage

```
sw_data_info(x = NULL)
```

Arguments

x The name of a sapwood data set. you can use [sw_data_overview\(\)](#) to get an overview of available data sets.

Value

A list with the following components:

- **data**: the name of the data set,
- **citation**: the correct citation for the data set,
- **area**: the area represented by the data set,
- **n_observations**: the number of observations in the data set and,
- **summary_raw_data**: summary stats of the raw data.

Examples

```
# Get detailed information on a sapwood data set  
sw_data_info("Hollstein_1980")  
  
# Retrieve the citation for a specific data set  
sw_data_info("Sohar_2012_FWE_c")$citation
```

sw_data_overview	<i>Overview of available sapwood data sets in the fellingdate package</i>
------------------	---

Description

This function provides an overview of the available sapwood data sets and models within the **fellingdate** package.

Usage

```
sw_data_overview()
```

Value

A character vector with the names of all available data sets with sapwood counts in the **fellingdate** package.

Examples

```
# Get an overview of available sapwood data sets
sw_data_overview()
```

sw_interval	<i>Computes the limits of the felling date range</i>
-------------	--

Description

This function computes the probability density function (PDF) and the highest posterior density interval (hdi) of the felling date range based on the observed number of sapwood rings, their chronological dating, and the selected sapwood data and model.

Usage

```
sw_interval(
  n_sapwood = NA,
  last = 1,
  hdi = FALSE,
  cred_mass = 0.954,
  sw_data = "Hollstein_1980",
  densfun = "lognormal",
  plot = FALSE
)
```

Arguments

<code>n_sapwood</code>	A numeric. The number of observed sapwood rings.
<code>last</code>	A numeric. The calendar year assigned to the outermost sapwood ring (optional, default = 0).
<code>hdi</code>	A logical. If TRUE, the lower and upper limit of the highest density interval (credible interval) are returned. When FALSE, a matrix is returned with scaled p-values for each number of observed sapwood rings.
<code>cred_mass</code>	A scalar in the range of [0, 1] specifying the mass within the credible interval (default = .954)
<code>sw_data</code>	The name of the sapwood data set to use for modelling. It should be one of the data sets listed in <code>sw_data_overview()</code> , or the name of a data.frame with sapwood data in columns <code>n_sapwood</code> and <code>count</code> .
<code>densfun</code>	Name of the density function fitted to the sapwood data set. Should be one of: <ul style="list-style-type: none"> • <code>lognormal</code> (the default value), • <code>normal</code>, • <code>weibull</code>, • <code>gamma</code>.
<code>plot</code>	A logical. <ul style="list-style-type: none"> • If TRUE, a ggplot-style graph is returned of the individual sapwood model and estimate of the felling date range. • If FALSE, a list with the numeric output of the modelling process is returned.

Value

Depends on the value of `hdi`.

- If `hdi` = TRUE, a numeric vector reporting the upper and lower limit of the hdi (attributes provide more detail on `cred_mass` and the applied sapwood model (`sw_data`)).
- If `hdi` = FALSE, a data.frame with scaled p values for each number of observed sapwood rings.

Examples

```
# 10 sapwood rings observed and the Wazny 1990 sapwood model:
sw_interval(
  n_sapwood = 10,
  last = 1234,
  hdi = TRUE,
  cred_mass = .95,
  sw_data = "Wazny_1990",
  densfun = "lognormal",
  plot = FALSE
)
# same example as above, but with numerical output (hdi = FALSE):
sw_interval(
```

```
n_sapwood = 10,  
last = 1234,  
hdi = FALSE,  
cred_mass = .95,  
sw_data = "Wazny_1990",  
densfun = "lognormal",  
plot = FALSE  
)
```

sw_interval_plot *Plot function for the output of [sw_interval\(\)](#)*

Description

Returns a ggplot-style graph of the probability density function for the felling date range, as computed by [sw_interval\(\)](#).

Usage

```
sw_interval_plot(x, area_fill = "tomato3", line_color = "tomato3")
```

Arguments

x	Output of sw_interval() .
area_fill	Fill color for the area under fitted distribution.
line_color	Line color for the fitted distribution.

Value

A ggplot-style graph, with calendar years on the X-axis and the probability (p) on the Y-axis.

Examples

```
tmp <- sw_interval(  
  n_sapwood = 10,  
  last = 1000,  
  hdi = FALSE,  
  cred_mass = .95,  
  sw_data = "Hollstein_1980",  
  densfun = "lognormal",  
  plot = FALSE  
)  
sw_interval_plot(tmp, area_fill = "forestgreen", line_color = "forestgreen")
```

<code>sw_model</code>	<i>Model sapwood data and compute the highest posterior density interval</i>
-----------------------	--

Description

This function fits a distribution to a data set of observed sapwood numbers and computes the highest posterior density interval (hdi) for a given credibility mass.

Usage

```
sw_model(
  sw_data = "Hollstein_1980",
  densfun = "lognormal",
  cred_mass = 0.954,
  source = NA,
  plot = FALSE
)
```

Arguments

<code>sw_data</code>	The name of the sapwood data set to use for modelling. It should be one of the data sets listed in sw_data_overview() , or the name of a <code>data.frame</code> with sapwood data in columns <code>n_sapwood</code> and <code>count</code> .
<code>densfun</code>	Name of the density function to fit to the sapwood data set. Should be one of: <ul style="list-style-type: none"> • <i>lognormal</i> (the default value), • <i>normal</i>, • <i>weibull</i>, • <i>gamma</i>.
<code>cred_mass</code>	A scalar in the range of [0, 1] specifying the mass within the credible interval (default = .954).
<code>source</code>	A character string with info on the data source. This info is incorporated in the title of the plot when a sapwood data set is provided from a user-defined <code>data.frame</code> .
<code>plot</code>	A logical. If TRUE a plot of the fitted density function is returned. When FALSE, a list with numeric output of the modelling process is returned.

Value

The return value depends on the `plot` parameter.

- if `plot` is TRUE, a ggplot-style graph is returned.
- if `plot` is FALSE, a list with the numeric output of the modelling process is returned.

Examples

```
sw_model(sw_data = "Sohar_2012_ELL_c",
        densfun = "lognormal",
        cred_mass = .095,
        plot = FALSE)

sw_model("Hollstein_1980")
```

sw_model_plot

Plot function for the output of [sw_model\(\)](#)

Description

Returns a ggplot-style graph of the probability density function modelled to a data set of observed sapwood numbers, as computed by [sw_model\(\)](#).

Usage

```
sw_model_plot(
  x,
  bar_fill = "steelblue3",
  bar_color = "grey60",
  line_color = "red3"
)
```

Arguments

x	Output of sw_model() .
bar_fill	Fill color for the bars (original data).
bar_color	Line color for the bars (original data).
line_color	Line color for the fitted distribution.

Value

A ggplot-style graph.

Examples

```
tmp <- sw_model(
  sw_data = "Hollstein_1980",
  densfun = "lognormal",
  cred_mass = .95,
  plot = FALSE
)
sw_model_plot(tmp,
             bar_fill = "forestgreen",
```

```
bar_color = "darkgreen",
line_color = "tomato3")
```

sw_sum*Compute the summed probability of multiple felling date ranges***Description**

Computes the summed probability density (SPD) for a set of felling date ranges.

Usage

```
sw_sum(
  x,
  series = "series",
  last = "last",
  n_sapwood = "n_sapwood",
  waneyedge = "waneyedge",
  sw_data = "Hollstein_1980",
  densfun = "lognormal",
  cred_mass = 0.954,
  plot = FALSE,
  scale_p = FALSE
)
```

Arguments

x	A <code>data.frame</code> with columns c("series", "swr", "waneyedge" , "last"), Column "sw_model" is optional. Could be the output of <code>read_fh(x, header = TRUE)</code>
series	Name of the column in x where ID's of the tree-ring series are listed as character values.
last	Name of the column in x where calendar years assigned to the last measured ring are listed (should be numeric).
n_sapwood	Name of the column in x where the number of observed sapwood rings are listed (should be numeric)
waneyedge	Name of the column in x indicating the presence (TRUE)/absence (FALSE) of waney edge (should be a logical).
sw_data	The name of the sapwood data set to use for modelling. It should be one of the data sets listed in sw_data_overview() , or the name of a <code>data.frame</code> with sapwood data in columns n_sapwood and count.
densfun	Name of the density function fitted to the sapwood data set. Should be one of: <ul style="list-style-type: none"> • <i>lognormal</i> (the default value), • <i>normal</i>, • <i>weibull</i>,

	<ul style="list-style-type: none"> • <i>gamma</i>.
cred_mass	A scalar [0, 1] specifying the mass within the credible interval (default = .954).
plot	A logical. <ul style="list-style-type: none"> • If TRUE, <code>sw_sum_plot()</code> is triggered and a ggplot-style graph is returned with the summed probability density (SPD). • If FALSE, a list with the numeric output of the modelling process is returned.
scale_p	A logical. If TRUE the summed probability density is scaled to 1 (default).

Value

Depends on the value of plot.

See Also

[sw_sum_plot\(\)](#)

Examples

`trs_example7`

```
sw_sum(trs_example7, densfun = "lognormal", cred_mass = 0.63, plot = FALSE)
```

`sw_sum_plot` *Plot the output of sw_sum()*

Description

This function plots the result of `sw_sum()` - both the SPD and the occurrence of exact felling dates - and adds a smoothing spline to the SPD.

Usage

```
sw_sum_plot(
  x,
  bar_col = "steelblue",
  trend_col = "red3",
  dot_col = "steelblue4",
  dot_size = 2,
  dot_shape = 21,
  window_smooth = 11
)
```

Arguments

x	The output of <code>sw_sum()</code> .
bar_col	The fill color for the bars.
trend_col	The line color of the fitted smoothing spline.
dot_col	The color of the shapes that represent exact felling dates.
dot_size	A size argument for the shapes that represent exact felling dates.
dot_shape	Number corresponding to the point symbol available in R for the shapes that represent exact felling dates.
window_smooth	A numeric value for the window width of the trend line

Value

A ggplot style graph, with calendar years on the X-axis and the probability (p) on the Y-axis.

Examples

```
trs_example6 <- trs_example6
trs_example6
tmp <- sw_sum(trs_example6)
sw_sum_plot(tmp, bar_col = "burlywood1",
            trend_col = "brown",
            dot_col = "orange",
            dot_shape = 23, dot_size = 5)
```

trs_example0

Example dataset 0

Description

A dataset in which all series have preserved sapwood. Unconventional variable names.

Usage

`trs_example0`

Format

A tibble of 4 variables:

trs unique ID of the tree-ring series
end calendar year assigned to the last measured ring
swr number of observed sapwood rings
bark waney edge present TRUE/FALSE

Examples

```
trs_example0
```

trs_example1

Example dataset 1

Description

A dataset in which all series have preserved sapwood rings.

Usage

```
trs_example1
```

Format

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example1
```

trs_example2

Example dataset 2

Description

A dataset in which one series has an exact felling date (= waney edge present).

Usage

```
trs_example2
```

Format

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example2
```

```
trs_example3
```

Example dataset 3

Description

A dataset with multiple exact felling dates.

Usage

```
trs_example3
```

Format

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example3
```

`trs_example4`*Example dataset 4*

Description

A combination of series with and without sapwood rings.

Usage`trs_example4`**Format**

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples`trs_example4`

`trs_example5`*Example dataset 5*

Description

None of the series in this dataset have preserved sapwood rings.

Usage`trs_example5`**Format**

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example5
```

```
trs_example6
```

Example dataset 6

Description

A test dataset for sw_sum().

Usage

```
trs_example6
```

Format

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example6
```

```
trs_example7
```

Example dataset 7

Description

A test dataset for sw_sum().

Usage

```
trs_example7
```

Format

A tibble of 4 variables:

series unique ID of the tree-ring series
last calendar year assigned to the last measured ring
n_sapwood number of observed sapwood rings
waneyedge waney edge present TRUE/FALSE

Examples

```
trs_example7
```

vanDaalen_NLBE

van Daalen (unpublished) sapwood data set.

Description

Sapwood data set for historical timbers found in the Netherlands en Belgium, with a local provenance. Unpublished data by S. van Daalen (version 19 Dec 2022, Van Daalen Dendrochronologie - <www.dendro.nl>).

Usage

```
vanDaalen_NLBE
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings
count number of times n_sapwood was observed

Details

sample size = 644 observations

Source

S. van Daalen, unpublished dataset (version: 19 Dec 2022).

Examples

```
sw_data_info("vanDaalen_NLBE")  
sw_model("vanDaalen_NLBE", plot = TRUE)
```

vanDaalen_Norway

van Daalen (unpublished) sapwood data set.

Description

Sapwood data set for historical timbers found in the Netherlands that were imported from Norway. Unpublished data by S. van Daalen (version 19 Dec 2022, Van Daalen Dendrochronologie - <www.dendro.nl>).

Usage

```
vanDaalen_Norway
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 104 observations

Source

S. van Daalen, unpublished dataset (version: 19 Dec 2022).

Examples

```
sw_data_info("vanDaalen_Norway")
sw_model("vanDaalen_Norway", plot = TRUE)
```

Wazny_1990

Wazny 1990 sapwood data set.

Description

Sapwood data set for Poland, published by Wazny in 1990.

Usage

```
Wazny_1990
```

Format

A tibble of 2 variables:

n_sapwood number of sapwood rings

count number of times n_sapwood was observed

Details

sample size = 206 observations

Source

Wazny T. 1990. Aufbau und Anwendung der Dendrochronologie für Eichenholz in Polen (PhD dissertation). Hamburg University, Hamburg.

Examples

```
sw_data_info("Wazny_1990")  
sw_model("Wazny_1990", plot = TRUE)
```

Index

- * **Hollstein_1980**
 - Hollstein_1980, 10
- * **datasets**
 - Brathen_1982, 3
 - Miles_1997_NM, 11
 - Miles_1997_SC, 12
 - Miles_1997_WBC, 12
 - Miles_1997_WBC, 12
 - Pilcher_1987, 14
 - read_fh, 15
 - Sohar_2012_ELL_c, 16
 - Sohar_2012_ELL_t, 17
 - Sohar_2012_FWE_c, 18
 - Sohar_2012_FWE_t, 18
 - trs_example0, 30
 - trs_example1, 31
 - trs_example2, 31
 - trs_example3, 32
 - trs_example4, 33
 - trs_example5, 33
 - trs_example6, 34
 - trs_example7, 34
 - vanDaalen_NLBE, 35
 - vanDaalen_Norway, 36
 - Wazny_1990, 36
- * **package**
 - fellingdater, 8
 - Brathen_1982, 3
 - cor_table, 3
 - dplR::read.fh(), 16
 - fd_report, 6
 - fd_report(), 8
 - fellingdater, 8
 - fellingdater-package (fellingdater), 8
 - fh_header, 9
 - hdi, 9
 - Hollstein_1980, 10
- Miles_1997_NM, 11
- Miles_1997_SC, 12
- Miles_1997_WBC, 12
- mov_av, 13
- Pilcher_1987, 14
- read_fh, 15
- Sohar_2012_ELL_c, 16
- Sohar_2012_ELL_t, 17
- Sohar_2012_FWE_c, 18
- Sohar_2012_FWE_t, 18
- sw_combine, 10, 19
- sw_combine(), 8, 21
- sw_combine_plot, 21
- sw_combine_plot(), 21
- sw_data_info, 22
- sw_data_overview, 23
- sw_data_overview(), 7, 20, 22, 24, 26, 28
- sw_interval, 9, 10, 23
- sw_interval(), 7, 8, 25
- sw_interval_plot, 25
- sw_interval_plot(), 7
- sw_model, 9, 10, 26
- sw_model(), 8, 27
- sw_model_plot, 27
- sw_sum, 28
- sw_sum(), 8, 29
- sw_sum_plot, 29
- sw_sum_plot(), 29
- trs_example0, 30
- trs_example1, 31
- trs_example2, 31
- trs_example3, 32
- trs_example4, 33
- trs_example5, 33
- trs_example6, 34
- trs_example7, 34

vanDaalen_NLBE, [35](#)
vanDaalen_Norway, [36](#)

Wazny_1990, [36](#)