

# Package: cld2 (via r-universe)

October 3, 2024

**Type** Package

**Title** Google's Compact Language Detector 2

**Version** 1.2.5

**Description** Bindings to Google's C++ library Compact Language Detector 2 (see <<https://github.com/cld2owners/cld2#readme>> for more information). Probabilistically detects over 80 languages in plain text or HTML. For mixed-language input it returns the top three detected languages and their approximate proportion of the total classified text bytes (e.g. 80% English and 20% French out of 1000 bytes). There is also a 'cld3' package on CRAN which uses a neural network model instead.

**License** Apache License 2.0

**Encoding** UTF-8

**URL** <https://docs.ropensci.org/cld2/>  
<https://ropensci.r-universe.dev/cld2>

**BugReports** <https://github.com/ropensci/cld2/issues>

**Imports** Rcpp

**LinkingTo** Rcpp

**RoxygenNote** 6.0.1

**Roxygen** list(markdown = TRUE)

**Suggests** testthat, readtext, cld3

**Repository** <https://ropensci.r-universe.dev>

**RemoteUrl** <https://github.com/ropensci/cld2>

**RemoteRef** master

**RemoteSha** a72cb049a7dc2ffb04ce85dea439c3079356e1e9

## Contents

cld2	2
Index	3

## Description

The function `detect_language()` is vectorised and guesses the the language of each string in `text` or returns NA if the language could not reliably be determined. The function `detect_language_multi()` is not vectorised and analyses the entire character vector as a whole. The output includes the top 3 detected languages including the relative proportion and the total number of text bytes that was reliably classified.

## Usage

```
detect_language(text, plain_text = TRUE, lang_code = TRUE)
```

```
detect_language_mixed(text, plain_text = TRUE)
```

## Arguments

<code>text</code>	a string with text to classify or a connection to read from
<code>plain_text</code>	if FALSE then code skips HTML tags and expands HTML entities
<code>lang_code</code>	return a language code instead of name

## Examples

```
# Vectorized function
text <- c("To be or not to be?", "Ce n'est pas grave.", "Nou breekt mijn klomp!")
detect_language(text)

## Not run:
# Read HTML from connection
detect_language(url('http://www.un.org/ar/universal-declaration-human-rights/'), plain_text = FALSE)

# More detailed classification output
detect_language_mixed(
  url('http://www.un.org/fr/universal-declaration-human-rights/'), plain_text = FALSE)

detect_language_mixed(
  url('http://www.un.org/zh/universal-declaration-human-rights/'), plain_text = FALSE)

## End(Not run)
```

# Index

cld2, [2](#)

detect\_language (cld2), [2](#)

detect\_language(), [2](#)

detect\_language\_mixed (cld2), [2](#)

detect\_language\_multi (cld2), [2](#)

detect\_language\_multi(), [2](#)