

# Package: osmplotr (via r-universe)

August 16, 2024

**Title** Bespoke Images of 'OpenStreetMap' Data

**Version** 0.3.5.004

**Description** Bespoke images of 'OpenStreetMap' ('OSM') data and data visualisation using 'OSM' objects.

**License** GPL-3

**URL** <https://docs.ropensci.org/osmplotr/>,  
<https://github.com/ropensci/osmplotr>

**BugReports** <https://github.com/ropensci/osmplotr/issues>

**Depends** R (>= 3.2.3)

**Imports** e1071, ggm, ggplot2, mapproj, methods, osmdata, sf, sp,  
spatstat (>= 2.0-0), spatstat.explore, spatstat.geom

**Suggests** curl, knitr, magrittr, markdown, rmarkdown, testthat

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.1

**Repository** <https://ropensci.r-universe.dev>

**RemoteUrl** <https://github.com/ropensci/osmplotr>

**RemoteRef** main

**RemoteSha** 5ef2fc8de4d299e06affeec172cfb6ddfcc47bc7

## Contents

add_axes . . . . .	2
add_colourbar . . . . .	3
add_osm_groups . . . . .	5
add_osm_objects . . . . .	8
add_osm_surface . . . . .	10
adjust_colours . . . . .	14

colour_mat . . . . .	15
connect_highways . . . . .	16
extract_osm_objects . . . . .	17
get_bbox . . . . .	19
london . . . . .	20
make_osm_map . . . . .	21
osmplotr . . . . .	22
osm_basemap . . . . .	24
osm_line2poly . . . . .	25
osm_structures . . . . .	26
print_osm_map . . . . .	27

<b>Index</b>	<b>29</b>
--------------	-----------

---

add_axes	<i>add_axes</i>
----------	-----------------

---

**Description**

Adds axes to the internal region of an OSM plot.

**Usage**

```
add_axes(  
  map,  
  colour = "black",  
  pos = c(0.02, 0.03),  
  alpha = 0.4,  
  fontsize = 3,  
  fontface,  
  fontfamily,  
  ...  
)
```

**Arguments**

map	A ggplot2 object to which the axes are to be added.
colour	Colour of axis (determines colour of all elements: lines, ticks, and labels).
pos	Positions of axes and labels relative to entire plot device.
alpha	alpha value for semi-transparent background surrounding axes and labels (lower values increase transparency).
fontsize	Size of axis font (in ggplot2 terms; default=3).
fontface	Fontface for axis labels (1:4=plain,bold,italic,bold-italic).
fontfamily	Family of axis font (for example, 'Times').
...	Mechanism to allow many parameters to be passed with alternative names (color for colour and xyz for fontxyz).

**Value**

Modified version of map with axes added.

**See Also**

[osm\\_basemap](#).

Other map-extra: [add\\_colourbar\(\)](#), [osm\\_line2poly\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_objects (map, london$dat_BNR, col = "gray40")
map <- add_axes (map)
print (map)

# Map items are added sequentially, so adding axes prior to objects will
# produce a different result.
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_axes (map)
map <- add_osm_objects (map, london$dat_BNR, col = "gray40")
print_osm_map (map)
```

---

add\_colourbar

add\_colorbar

---

**Description**

Adds a colourbar to an existing map. Intended to be used in combination with [add\\_osm\\_surface](#).  
At present, only plots on right side of map.

**Usage**

```
add_colourbar(
  map,
  barwidth = 0.02,
  barlength = 0.7,
  zlims,
  cols,
  vertical = TRUE,
  alpha = 0.4,
  text_col = "black",
  fontsize = 3,
  fontface,
  fontfamily,
  ...
)
```

**Arguments**

map	A ggplot2 object to which the colourbar is to be added.
barwidth	Relative width of the bar (perpendicular to its direction), either a single number giving distance from right or upper margin, or two numbers giving left/right or lower/upper limits.
barlength	Relative length of the bar (parallel to its direction), either a single number giving total length of centred bar, or two numbers giving lower/upper or left/right limits.
zlims	Vector of (min,max) values for scale of colourbar. These should be the values returned from <a href="#">add_osm_surface</a> .
cols	Vector of colours.
vertical	If FALSE, colourbar is aligned horizontally instead of default vertical alignment.
alpha	Transparency level of region immediately surrounding colourbar, including behind text. Lower values are more transparent.
text_col	Colour of text, tick marks, and lines on colourbar.
fontsize	Size of text labels (in ggplot2 terms; default=3).
fontface	Fontface for colourbar labels (1:4=plain,bold,italic,bold-italic).
fontfamily	Family of colourbar font (for example, 'Times').
...	Mechanism to allow many parameters to be passed with alternative names (such as xyz for fontxyz).

**Value**

Modified version of map with colourbar added.

**See Also**

[osm\\_basemap](#), [add\\_osm\\_surface](#).

Other map-extra: [add\\_axes\(\)](#), [osm\\_line2poly\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
map <- osm_basemap (bbox = bbox, bg = "gray20")
# Align volcano data to lat-lon range of bbox
dv <- dim (volcano)
x <- seq (bbox [1, 1], bbox [1, 2], length.out = dv [1])
y <- seq (bbox [2, 1], bbox [2, 2], length.out = dv [2])
dat <- data.frame (
  x = rep (x, dv [2]),
  y = rep (y, each = dv [1]),
  z = as.numeric (volcano)
)
map <- add_osm_surface (map,
  obj = london$dat_BNR, dat = dat,
  cols = heat.colors (30))
```

```

)
map <- add_axes (map)
# Note colours of colourbar can be arbitrarily set, and need not equal those
# passed to 'add_osm_surface'
map <- add_colourbar (map,
  zlims = range (volcano), cols = heat.colors (100),
  text_col = "black"
)
print_osm_map (map)

# Horizontal colourbar shifted away from margins:
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_surface (map,
  obj = london$dat_BNR, dat = dat,
  cols = heat.colors (30)
)
map <- add_colourbar (map,
  zlims = range (volcano), cols = heat.colors (100),
  barwidth = c (0.1, 0.15), barlength = c (0.5, 0.9),
  vertical = FALSE
)
print_osm_map (map)

```

---

add\_osm\_groups

*add\_osm\_groups*


---

## Description

Plots spatially distinct groups of OSM objects in different colours.

## Usage

```

add_osm_groups(
  map,
  obj,
  groups,
  cols,
  bg,
  make_hull = FALSE,
  boundary = -1,
  size,
  shape,
  border_width = 1,
  colmat,
  rotate
)

```

**Arguments**

map	A ggplot2 object to which the grouped objects are to be added.
obj	An <code>sp</code> <code>SpatialPointsDataFrame</code> , <code>SpatialPolygonsDataFrame</code> , or <code>SpatialLinesDataFrame</code> (list of polygons or lines) returned by <a href="#">extract_osm_objects</a> .
groups	A list of spatial points objects, each of which contains the coordinates of points defining one group.
cols	Either a vector of $\geq 4$ colours passed to <code>colour_mat</code> (if <code>colmat = TRUE</code> ) to arrange as a 2-D map of visually distinct colours (default uses rainbow colours), or (if <code>colmat = FALSE</code> ), a vector of the same length as <code>groups</code> specifying individual colours for each.
bg	If given, then any objects not within groups are coloured this colour, otherwise (if not given) they are assigned to nearest group and coloured accordingly (boundary has no effect in this latter case).
make_hull	Either a single boolean value or a vector of same length as <code>groups</code> specifying whether convex hulls should be constructed around all groups ( <code>TRUE</code> ), or whether the group already defines a hull (convex or otherwise; <code>FALSE</code> ).
boundary	(negative, 0, positive) values define whether the boundary of groups should (exclude, bisect, include) objects which straddle the precise boundary. (Has no effect if <code>bg</code> is given).
size	Linewidth argument passed to ggplot2 (polygon, path, point) functions: determines width of lines for (polygon, line), and sizes of points. Respective defaults are (0, 0.5, 0.5).
shape	Shape of points or lines (the latter passed as <code>linetype</code> ); see <a href="#">shape</a> .
border_width	If given, draws convex hull borders around entire groups in same colours as groups (try values around 1-2).
colmat	If <code>TRUE</code> generates colours according to <code>colour_mat</code> , otherwise the colours of groups are specified directly by the vector of <code>cols</code> .
rotate	Passed to <code>colour_mat</code> to rotate colours by the specified number of degrees clockwise.

**Value**

Modified version of `map` with groups added.

**Note**

Any group that is entirely contained within any other group is assumed to represent a hole, such that points internal to the smaller contained group are *\*excluded\** from the group, while those outside the smaller yet inside the bigger group are included.

**See Also**

[colour\\_mat](#), [add\\_osm\\_objects](#).

Other maps-with-data: [add\\_osm\\_surface\(\)](#)

**Examples**

```

bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
# Download data using 'extract_osm_objects'
## Not run:
dat_HP <- extract_osm_objects (
  key = "highway",
  value = "primary",
  bbox = bbox
)
dat_T <- extract_osm_objects (key = "tree", bbox = bbox)
dat_BNR <- extract_osm_objects (
  key = "building", value = "!residential",
  bbox = bbox
)

## End(Not run)
# These data are also provided in
dat_HP <- london$dat_HP
dat_T <- london$dat_T
dat_BNR <- london$dat_BNR

# Define a function to easily generate a basemap
bmap <- function () {
  map <- osm_basemap (bbox = bbox, bg = "gray20")
  map <- add_osm_objects (map, dat_HP, col = "gray70", size = 1)
  add_osm_objects (map, dat_T, col = "green")
}

# Highlight a single region using all objects lying partially inside the
# boundary (via the boundary = 1 argument)
pts <- sp::SpatialPoints (cbind (
  c (-0.115, -0.125, -0.125, -0.115),
  c (51.505, 51.505, 51.515, 51.515)
))
## Not run:
dat_H <- extract_osm_objects (key = "highway", bbox = bbox) # all highways
map <- bmap ()
map <- add_osm_groups (map, dat_BNR,
  groups = pts, cols = "gray90",
  bg = "gray40", boundary = 1
)
map <- add_osm_groups (map, dat_H,
  groups = pts, cols = "gray80",
  bg = "gray30", boundary = 1
)
print_osm_map (map)

## End(Not run)

# Generate random points to serve as group centres
set.seed (2)
ngroups <- 6

```

```

x <- bbox [1, 1] + runif (ngroups) * diff (bbox [1, ])
y <- bbox [2, 1] + runif (ngroups) * diff (bbox [2, ])
groups <- cbind (x, y)
groups <- apply (groups, 1, function (i) {
  sp::SpatialPoints (
    matrix (i, nrow = 1, ncol = 2)
  )
})
# plot a basemap and add groups
map <- bmap ()
cols <- rainbow (length (groups))
## Not run:
map <- add_osm_groups (
  map,
  obj = london$dat_BNR,
  group = groups,
  cols = cols
)
cols <- adjust_colours (cols, -0.2)
map <- add_osm_groups (map, obj = london$dat_H, groups = groups, cols = cols)
print_osm_map (map)

# Highlight convex hulls containing groups:
map <- bmap ()
map <- add_osm_groups (
  map,
  obj = london$dat_BNR,
  group = groups,
  cols = cols,
  border_width = 2
)
print_osm_map (map)

## End(Not run)

```

---

add\_osm\_objects

*add\_osm\_objects*


---

## Description

Adds layers of spatial objects (polygons, lines, or points generated by [extract\\_osm\\_objects](#)) to a graphics object initialised with [osm\\_basemap](#).

## Usage

```
add_osm_objects(map, obj, col = "gray40", border = NA, hcol, size, shape)
```



**Arguments**

map	A ggplot2 object to which the objects are to be added.
obj	A spatial (sp) data frame of polygons, lines, or points, typically as returned by <a href="#">extract_osm_objects</a> .
col	Colour of lines or points; fill colour of polygons.
border	Border colour of polygons.
hcol	(Multipolygons only) Vector of fill colours for holes
size	Linewidth argument passed to ggplot2 (polygon, path, point) functions: determines width of lines for (polygon, line), and sizes of points. Respective defaults are (0, 0.5, 0.5).
shape	Shape of points or lines (the latter passed as linetype); see <a href="#">shape</a> .

**Value**

modified version of map to which objects have been added.

**See Also**

[osm\\_basemap](#), [extract\\_osm\\_objects](#).

Other construction: [make\\_osm\\_map\(\)](#), [osm\\_basemap\(\)](#), [osm\\_structures\(\)](#), [print\\_osm\\_map\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
map <- osm_basemap (bbox = bbox, bg = "gray20")

## Not run:
# The 'london' data used below were downloaded as:
dat_BNR <- extract_osm_objects (
  bbox = bbox,
  key = "building",
  value = "!residential"
)
dat_HP <- extract_osm_objects (
  bbox = bbox,
  key = "highway",
  value = "primary"
)
dat_T <- extract_osm_objects (bbox = bbox, key = "tree")

## End(Not run)
map <- add_osm_objects (
  map,
  obj = london$dat_BNR,
  col = "gray40",
  border = "yellow"
)
map <- add_osm_objects (
  map,
```

```

    obj = london$dat_HP,
    col = "gray80",
    size = 1, shape = 2
  )
  map <- add_osm_objects (
    map,
    london$dat_T,
    col = "green",
    size = 2, shape = 1
  )
  print_osm_map (map)

# Polygons with different coloured borders
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_objects (map, obj = london$dat_HP, col = "gray80")
map <- add_osm_objects (map, london$dat_T, col = "green")
map <- add_osm_objects (map,
  obj = london$dat_BNR, col = "gray40",
  border = "yellow", size = 0.5
)
print_osm_map (map)

```

---

add\_osm\_surface

*add\_osm\_surface*


---

## Description

Adds a colour-coded surface of spatial objects (polygons, lines, or points generated by [extract\\_osm\\_objects](#) to a graphics object initialised with [osm\\_basemap](#). The surface is spatially interpolated between the values given in `dat`, which has to be a matrix of data frame of 3 columns (x, y, z), where (x,y) are (longitude, latitude), and z are the values to be interpolated. Interpolation uses `spatstat.explore::Smooth.ppp`, which applies a Gaussian kernel smoother optimised to the given data, and is effectively non-parametric.

## Usage

```

add_osm_surface(
  map,
  obj,
  dat,
  method = "idw",
  grid_size = 100,
  cols = heat.colors(30),
  bg,
  size,
  shape
)

```

**Arguments**

map	A ggplot2 object to which the surface are to be added
obj	An sp SpatialPolygonsDataFrame or SpatialLinesDataFrame (list of polygons or lines) returned by <a href="#">extract_osm_objects</a>
dat	A matrix or data frame of 3 columns (x, y, z), where (x, y) are (longitude, latitude), and z are the values to be interpolated
method	Either idw (Inverse Distance Weighting as <code>spatstat.explore::idw</code> ; default), Gaussian for kernel smoothing (as <code>spatstat.explore::Smooth.ppp</code> ), or any other value to avoid interpolation. In this case, dat must be regularly spaced in x and y.
grid_size	size of interpolation grid
cols	Vector of colours for shading z-values (for example, <code>terrain.colors(30)</code> )
bg	If specified, OSM objects outside the convex hull surrounding dat are plotted in this colour, otherwise they are included in the interpolation (which will generally be inaccurate for peripheral values)
size	Size argument passed to ggplot2 (polygon, path, point) functions: determines width of lines for (polygon, line), and sizes of points. Respective defaults are (0, 0.5, 0.5). If bg is provided and size has 2 elements, the second determines the size of the background objects.
shape	Shape of lines or points, for details of which see <code>?ggplot::shape</code> . If bg is provided and shape has 2 elements, the second determines the shape of the background objects.

**Value**

modified version of map to which surface has been added

**Note**

Points beyond the spatial boundary of dat are included in the surface if bg is not given. In such cases, values for these points may exceed the range of provided data because the surface will be extrapolated beyond its domain. Actual plotted values are therefore restricted to the range of given values, so any extrapolated points greater or less than the range of dat are simply set to the respective maximum or minimum values. This allows the limits of dat to be used precisely when adding colourbars with [add\\_colourbar](#).

**See Also**

[osm\\_basemap](#), [add\\_colourbar](#).

Other maps-with-data: [add\\_osm\\_groups\(\)](#)

**Examples**

```
# Get some data
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
# dat_B <- extract_osm_objects (key = 'building', bbox = bbox)
```

```

# These data are also provided in
dat_B <- london$dat_BNR # actual non-residential buildings
# Make a data surface across the map coordinates, and remove periphery
n <- 5
x <- seq (bbox [1, 1], bbox [1, 2], length.out = n)
y <- seq (bbox [2, 1], bbox [2, 2], length.out = n)
dat <- data.frame (
  x = as.vector (array (x, dim = c (n, n))),
  y = as.vector (t (array (y, dim = c (n, n)))),
  z = x * y
)
## Not run:
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_surface (map, dat_B, dat = dat, cols = heat.colors (30))
print_osm_map (map)

## End(Not run)

# If data do not cover the entire map region, then the peripheral remainder
# can be plotted by specifying the 'bg' colour. First remove periphery from
# 'dat':
d <- sqrt ((dat$x - mean (dat$x))^2 + (dat$y - mean (dat$y))^2)
dat <- dat [which (d < 0.01), ]
## Not run:
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_surface (
  map,
  dat_B,
  dat = dat,
  cols = heat.colors (30),
  bg = "gray40"
)
print_osm_map (map)

## End(Not run)

# Polygons and (lines/points) can be overlaid as data surfaces with different
# colour schemes.
# dat_HP <- extract_osm_objects (key = 'highway',
#                               value = 'primary',
#                               bbox = bbox)
# These data are also provided in
dat_HP <- london$dat_HP
cols <- adjust_colours (heat.colors (30), adj = -0.2) # darken by 20%
## Not run:
map <- add_osm_surface (
  map,
  dat_HP,
  dat,
  cols = cols,
  bg = "gray60",
  size = c (1.5, 0.5)
)

```

```

print_osm_map (map)

## End(Not run)

# Adding multiple surfaces of either polygons or (lines/points) produces a
# 'ggplot2' warning, and forces the colour gradient to revert to the last
# given value.
dat_T <- london$dat_T # trees
## Not run:
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_surface (
  map,
  dat_B,
  dat = dat,
  cols = heat.colors (30),
  bg = "gray40"
)
map <- add_osm_surface (
  map,
  dat_HP,
  dat,
  cols = heat.colors (30),
  bg = "gray60",
  size = c (1.5, 0.5)
)
map <- add_osm_surface (
  map,
  dat_T,
  dat,
  cols = topo.colors (30),
  bg = "gray70",
  size = c (5, 2),
  shape = c (8, 1)
)
print_osm_map (map) # 'dat_HP' is in 'topo.colors' not 'heat.colors'

## End(Not run)

# Add axes and colourbar
## Not run:
map <- add_axes (map)
map <- add_colourbar (
  map,
  cols = heat.colors (100),
  zlims = range (dat$z),
  barwidth = c (0.02),
  barlength = c (0.6, 0.99),
  vertical = TRUE
)
print_osm_map (map)

## End(Not run)

```

---

adjust_colours	<i>adjust_colours</i>
----------------	-----------------------

---

## Description

Adjusts a given colour by lightening or darkening it by the specified amount (relative scale of -1 to 1). Adjustments are made in RGB space, for limitations of which see `?convertColor`

## Usage

```
adjust_colours(cols, adj = 0, plot = FALSE)
```

## Arguments

<code>cols</code>	A vector of R colours (for allowable formats of which, see <code>?col2rgb</code> ).
<code>adj</code>	A number between -1 and 1 determining how much to lighten (positive values) or darken (negative values) the colours.
<code>plot</code>	If TRUE, generates a plot to allow visual comparison of original and adjusted colours.

## Value

Corresponding vector of adjusted colours (as hexadecimal strings).

## See Also

[osm\\_structures](#), `?col2rgb`.

Other colours: `colour_mat()`

## Examples

```
cols <- adjust_colours (cols = heat.colors (10), adj = -0.2, plot = TRUE)

# 'adjust_colours' also offers an easy way to adjust the default colour
# schemes provided by 'osm_structures'. The following lines darken the
# highway colour of the 'light' colour scheme by 20%
structures <- osm_structures (
  structures = c ("building", "highway", "park"),
  col_scheme = "light"
)
structures$cols [2] <- adjust_colours (structures$cols [2], adj = -0.2)
# Plot these structures:
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
## Not run:
dat_B <- extract_osm_objects (key = "building", bbox = bbox)
dat_H <- extract_osm_objects (key = "highway", bbox = bbox)
dat_P <- extract_osm_objects (key = "park", bbox = bbox)
```

```
## End(Not run)
# These data are also included in the 'london' data of 'osmplotr'
osm_data <- list (
  dat_B = london$dat_BNR,
  dat_H = london$dat_HP,
  dat_P = london$dat_P
)
dat <- make_osm_map (
  structures = structures,
  osm_data = osm_data,
  bbox = bbox
)
print_osm_map (dat$map)
```

---

colour\_mat

*colour\_mat*


---

## Description

Generates a 2D matrix of graduated colours by interpolating between the given colours specifying the four corners.

## Usage

```
colour_mat(cols, n = c(10, 10), rotate = NULL, plot = FALSE)
```

## Arguments

cols	vector of length $\geq 4$ of colors (example, default = rainbow (4), or RColorBrewer::brewer.pal (4, 'Set1')). cols are wrapped clockwise around the corners from top left to bottom left.
n	number of rows and columns of colour matrix (default = 10; if length 2, then dimensions of rectangle).
rotate	rotates the entire colour matrix by the specified angle (in degrees).
plot	plots the colour matrix.

## Value

Matrix of colours.

## See Also

[add\\_osm\\_groups](#).

Other colours: [adjust\\_colours\(\)](#)

## Examples

```
cm <- colour_mat (n = 5, cols = rainbow (4), rotate = 90, plot = TRUE)

# 'colour_mat' is intended primarily for use in colouring groups added with
# 'add_osm_groups' using the 'colmat = TRUE' option:
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
# Generate random points to serve as group centres
set.seed (2)
ngroups <- 6
x <- bbox [1, 1] + runif (ngroups) * diff (bbox [1, ])
y <- bbox [2, 1] + runif (ngroups) * diff (bbox [2, ])
groups <- cbind (x, y)
groups <- apply (groups, 1, function (i) {
  sp::SpatialPoints (matrix (i, nrow = 1, ncol = 2))
})
# plot a basemap and add groups
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_groups (map,
  obj = london$dat_BNR, group = groups,
  cols = rainbow (4), colmat = TRUE, rotate = 90
)
print_osm_map (map)
```

---

connect\_highways

*connect\_highways*


---

## Description

Takes a list of highways names which must enclose an internal area, and returns a `SpatialLines` object containing a sequence of OSM nodes which cyclically connect all highways. Will fail if the streets do not form a cycle.

## Usage

```
connect_highways(highways, bbox, plot = FALSE)
```

## Arguments

highways	A vector of highway names passed directly to the Overpass API. Wildcards and whitespaces are ‘.’; for other options see online help for the overpass API.
bbox	the bounding box for the map. A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values.
plot	If TRUE, then all OSM data for each highway is plotted and the final cycle overlaid.

## Value

A single set of `SpatialPoints` containing the lat-lon coordinates of the cyclic line connecting all given streets.



**Note**

1. connect\_highways is primarily intended to provide a means to define boundaries of groups which can then be highlighted using [add\\_osm\\_groups](#).
2. This function can not be guaranteed failsafe owing both to the inherently unpredictable nature of OpenStreetMap, as well as to the unknown relationships between named highways. The plot option enables problematic cases to be examined and hopefully resolved. The function is still experimental, so please help further improvements by reporting any problems!

**See Also**

[add\\_osm\\_groups](#).

Other data-extraction: [extract\\_osm\\_objects\(\)](#), [get\\_bbox\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
## Not run:
highways <- c (
  "Monmouth.St", "Short.?s.Gardens", "Endell.St", "Long.Acre",
  "Upper.Saint.Martin"
)
# Note that dots signify "anything", including whitespace and apostrophes,
# and that '?' denotes optional previous character and so here matches
# both "Shorts Gardens" and "Short's Gardens"
highways1 <- connect_highways (highways = highways, bbox = bbox, plot = TRUE)
highways <- c ("Endell.St", "High.Holborn", "Drury.Lane", "Long.Acre")
highways2 <- connect_highways (highways = highways, bbox = bbox, plot = TRUE)

# Use of 'connect_highways' to highlight a region on a map
map <- osm_basemap (bbox = bbox, bg = "gray20")
# dat_B <- extract_osm_data (key = "building",
#                             value = "!residential",
#                             bbox = bbox)
# Those data are part of 'osmplotr':
dat_BNR <- london$dat_BNR # Non-residential buildings
groups <- list (highways1, highways2)
map <- add_osm_groups (map,
  obj = dat_BNR, groups = groups,
  cols = c ("red", "blue"), bg = "gray40"
)
print_osm_map (map)

## End(Not run)
```

**Description**

Downloads OSM XML objects and converts to sp objects (SpatialPointsDataFrame, SpatialLinesDataFrame, or SpatialPolygonsDataFrame).

**Usage**

```
extract_osm_objects(
  bbox,
  key = NULL,
  value,
  extra_pairs,
  return_type,
  sf = TRUE,
  geom_only = FALSE,
  quiet = FALSE
)
```

**Arguments**

bbox	the bounding box within which all key-value objects should be downloaded. A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values.
key	OSM key to search for. Useful keys include building, waterway, natural, grass, park, amenity, shop, boundary, and highway. Others will be passed directly to the overpass API and may not necessarily return results.
value	OSM value to match to key. If NULL, all keys will be returned. Negation is specified by !value.
extra_pairs	A list of additional key-value pairs to be passed to the overpass API.
return_type	If specified, force return of spatial (point, line, polygon, multiline, multipolygon) objects. return_type = 'line' will, for example, always return a SpatialLinesDataFrame. If not specified, defaults to 'sensible' values (for example, lines for highways, points for trees, polygons for buildings).
sf	If TRUE, return Simple Features (sf) objects; otherwise Spatial (sp) objects.
geom_only	If TRUE, return only those OSM data describing the geometric object; otherwise return all data describing each object.
quiet	If FALSE, provides notification of progress.

**Value**

Either a SpatialPointsDataFrame, SpatialLinesDataFrame, or SpatialPolygonsDataFrame.

**See Also**

[add\\_osm\\_objects](#).

Other data-extraction: [connect\\_highways\(\)](#), [get\\_bbox\(\)](#)

## Examples

```
## Not run:
bbox <- get_bbox (c (-0.13, 51.50, -0.11, 51.52))
dat_B <- extract_osm_objects (key = "building", bbox = bbox)
dat_H <- extract_osm_objects (key = "highway", bbox = bbox)
dat_BR <- extract_osm_objects (
  key = "building",
  value = "residential",
  bbox = bbox
)
dat_HP <- extract_osm_objects (
  key = "highway",
  value = "primary",
  bbox = bbox
)
dat_HNP <- extract_osm_objects (
  key = "highway",
  value = "!primary",
  bbox = bbox
)
extra_pairs <- c ("name", "Royal.Festival.Hall")
dat <- extract_osm_objects (
  key = "building", extra_pairs = extra_pairs,
  bbox = bbox
)

## End(Not run)
```

---

get\_bbox

get\_bbox

---

## Description

Converts a string of latitudes and longitudes into a square matrix to be passed as a bbox argument (to [extract\\_osm\\_objects](#), [osm\\_basemap](#), or [make\\_osm\\_map](#)).

## Usage

```
get_bbox(latlon)
```

## Arguments

latlon                    A vector of (longitude, latitude, longitude, latitude) values.

## Value

A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values.

**See Also**

Other data-extraction: [connect\\_highways\(\)](#), [extract\\_osm\\_objects\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.15, 51.5, -0.1, 51.52))
```

---

london	<i>london</i>
--------	---------------

---

**Description**

A list of Simple Features (sf) data.frame objects containing OpenStreetMap polygons, lines, and points for various OpenStreetMap structures in a small part of central London, U.K. (bbox = -0.13, 51.51, -0.11, 51.52). The list includes:

- 1. dat\_H: 974 non-primary highways as linestrings
- 2. dat\_HP: 159 primary highways as linestrings
- 3. dat\_BNR: 1,716 non-residential buildings as polygons
- 4. dat\_BR: 43 residential buildings as polygons
- 5. dat\_BC: 67 commerical buildings as polygons
- 6. dat\_A: 372 amenities as polygons
- 7. dat\_P: 13 parks as polygons
- 8. dat\_T: 688 trees as points
- 9. dat\_RFH: 1 polygon representing Royal Festival Hall
- 10. dat\_ST: 1 polygon representing 150 Stamford Street

**Format**

A list of spatial objects

**Details**

The vignette `basic-maps` details how these data were downloaded. Note that these internal versions have had all descriptive data removed other than their names, geometries, and their OSM identification numbers.

---

make_osm_map	<i>make_osm_map</i>
--------------	---------------------

---

## Description

Makes an entire OSM map for the given bbox using the submitted data, or by downloading data if none submitted. This is a convenience function enabling an entire map to be produced according to the graphical format specified with the `structures` argument.

## Usage

```
make_osm_map(
  bbox,
  osm_data,
  structures = osm_structures(),
  dat_prefix = "dat_"
)
```

## Arguments

<code>bbox</code>	The bounding box for the map. A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values. If NULL, <code>bbox</code> is taken from the largest extent of OSM objects in <code>osm_data</code> .
<code>osm_data</code>	A list of OSM objects as returned from <a href="#">extract_osm_objects</a> . These objects may be included in the plot without downloading. These should all be named with the stated <code>dat_prefix</code> and have suffixes as given in <code>structures</code> .
<code>structures</code>	A <code>data.frame</code> specifying types of OSM structures as returned from <a href="#">osm_structures</a> , and potentially modified to alter lists of structures to be plotted, and their associated colours. Objects are overlaid on plot according to the order given in <code>structures</code> .
<code>dat_prefix</code>	Prefix for data structures (default <code>dat_</code> ). Final data structures are created by appending the suffixes from <a href="#">osm_structures</a> .

## Value

List of two components:

1. List of OSM structures each as `Spatial(Points/Lines/Polygons)DataFrame` and appended to `osm_data` (which is NULL by default), and
2. The map as a `ggplot2` object

## Note

If `osm_data` is not given, then data will be downloaded, which can take some time. Progress is dumped to screen.

**See Also**

[osm\\_basemap](#), [add\\_osm\\_objects](#).

Other construction: [add\\_osm\\_objects\(\)](#), [osm\\_basemap\(\)](#), [osm\\_structures\(\)](#), [print\\_osm\\_map\(\)](#)

**Examples**

```
structures <- c ("highway", "park")
structs <- osm_structures (structures = structures, col_scheme = "light")
# make_osm_map returns potentially modified list of data using the provided
# 'london' data for highways and parks.
dat <- make_osm_map (osm_data = london, structures = structs)
# or download data automatically using a defined bounding box
bbox <- get_bbox (c (-0.15, 51.5, -0.10, 51.52))
## Not run:
dat <- make_osm_map (bbox = bbox, structures = structs)
print_osm_map (dat$map)

## End(Not run)
```

---

osmplotr

*osmplotr*.

---

**Description**

Produces customisable images of OpenStreetMap (OSM) data and enables data visualisation using OSM objects. Extracts data using the overpass API. Contains the following functions, data, and vignettes.

**Data Functions**

- [extract\\_osm\\_objects](#): Download arbitrary OSM objects
- [connect\\_highways](#): Returns points sequentially connecting list of named highways

**Basic Plotting Functions (without data)**

- [add\\_axes](#): Overlay longitudinal and latitudinal axes on plot
- [add\\_osm\\_objects](#): Overlay arbitrary OSM objects
- [make\\_osm\\_map](#): Automate map production with structures defined in [osm\\_structures](#)
- [osm\\_structures](#): Define structures and graphics schemes for automating map production
- [osm\\_basemap](#): Initiate a ggplot2 object for an OSM map
- [print\\_osm\\_map](#): Print a map to specified graphics device

**Advanced Plotting Functions (with data)**

- [add\\_osm\\_groups](#): Overlay groups of objects using specified colour scheme
- [add\\_osm\\_surface](#): Overlay data surface by interpolating given data
- [add\\_colourbar](#): Overlay a scaled colourbar for data added with [add\\_osm\\_surface](#)

### Colour Manipulation Functions

- `adjust_colours`: Lighten or darken given colours by specified amount
- `colour_mat`: Generate continuous 2D spatial matrix of colours

### Other Functions

- `get_bbox`: return bounding box from input vector

### Data

- `london`: OSM Data from a small portion of central London

### Vignettes

- `basic-maps`: Describes basics of downloading data and making custom maps
- `data-maps`: Describes how map elements can be coloured according to user-provided data, whether categorical or continuous

### Author(s)

**Maintainer:** Mark Padgham <mark.padgham@email.com>

Authors:

- Richard Beare

Other contributors:

- Finkelstein Noam (Author of included stub.R code) [contributor, copyright holder]
- Bartnik Lukasz (Author of included stub.R code) [contributor, copyright holder]

### See Also

Useful links:

- <https://docs.ropensci.org/osmplotr/>
- <https://github.com/ropensci/osmplotr>
- Report bugs at <https://github.com/ropensci/osmplotr/issues>

---

osm\_basemap

*osm\_basemap*


---

## Description

Generates a base OSM plot ready for polygon, line, and point objects to be overlain with [add\\_osm\\_objects](#).

## Usage

```
osm_basemap(bbox, structures, bg = "gray20")
```

## Arguments

<code>bbox</code>	bounding box (Latitude-longitude range) to be plotted. A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values. Can also be an object of class <code>sf</code> , for example as returned from <code>extract_osm_objects</code> or the <code>osmdata</code> package, in which case the bounding box will be extracted from the object coordinates.
<code>structures</code>	Data frame returned by <a href="#">osm_structures</a> used here to specify background colour of plot; if missing, the colour is specified by <code>bg</code> .
<code>bg</code>	Background colour of map (default = <code>gray20</code> ) only if <code>structs</code> not given).

## Value

A `ggplot2` object containing the base map.

## See Also

[add\\_osm\\_objects](#), [make\\_osm\\_map](#).

Other construction: [add\\_osm\\_objects\(\)](#), [make\\_osm\\_map\(\)](#), [osm\\_structures\(\)](#), [print\\_osm\\_map\(\)](#)

## Examples

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_objects (map, london$dat_BNR, col = "gray40")
print_osm_map (map)
```



---

osm\_line2poly

osm\_line2poly

---

## Description

Converts `sf::sfc_LINSTRING` objects to polygons by connecting end points around the given bounding box. This is particularly useful for plotting water and land delineated by coastlines. Coastlines in OpenStreetMap are lines, not polygons, and so there is no directly way to plot ocean water distinct from land. This function enables that by connecting the end points of coastline `LINSTRING` objects to form closed polygons.

## Usage

```
osm_line2poly(obj, bbox)
```

## Arguments

<code>obj</code>	A Simple Features (sf) data frame of lines, typically as returned by <a href="#">extract_osm_objects</a> , or by <code>osmdata::osmdata_sf</code> .
<code>bbox</code>	bounding box (Latitude-longitude range) to be plotted. A 2-by-2 matrix of 4 elements with columns of min and max values, and rows of x and y values. Can also be an object of class <code>sf</code> , for example as returned from <code>extract_osm_objects</code> or the <code>osmdata</code> package, in which case the bounding box will be extracted from the object coordinates.

## Details

This is a tricky problem for a number of reasons, and the current implementation may not be correct, although it does successfully deal with a few tough situations. Some of the issues are: an osm coastline query returns a mixture of "ways" and polygons.

Polygons correspond to islands, but not all islands are polygons. A "way" is a connected set of points with the land on the left. A piece of coastline in a bounding box may consist of multiple ways, which need to be connected together to create a polygon. Also, ways extend outside the query bounding box, and may join other ways that enter the bounding box (e.g ends of a peninsula). The degree to which this happens depends on the scale of the bounding box. Coastlines may enter at any bounding box edge and exit at any other, including the one they entered from.

## Value

A list of three Simple Features (sf) data frames, labelled sea islands and land.

## See Also

Other map-extra: [add\\_axes\(\)](#), [add\\_colourbar\(\)](#)

## Examples

```
# This example uses the \code{osmdata} package to extract data from
# a named bounding box
## Not run:
library (magrittr)
library (osmdata)
bb <- osmdata::getbb ("melbourne, australia")
coast <- extract_osm_objects (
  bbox = bb,
  key = "natural",
  value = "coastline",
  return_type = "line"
)
coast <- osm_line2poly (coast, bbox = bb)
# The following map then colours in just the ocean:
map <- osm_basemap (bbox = bb) %>%
  add_osm_objects (coast$sea, col = "lightsteelblue") %>%
  print_osm_map ()

## End(Not run)
```

---

osm\_structures

osm\_structures

---

## Description

For the given vector of structure types returns a `data.frame` containing two columns of corresponding OpenStreetMap key-value pairs, one column of unambiguous suffixes to be appended to the objects returned by [extract\\_osm\\_objects](#), and one column specifying colours. This `data.frame` may be subsequently modified as desired, and ultimately passed to [make\\_osm\\_map](#) to automate map production.

## Usage

```
osm_structures(
  structures = c("building", "amenity", "waterway", "grass", "natural", "park",
    "highway", "boundary", "tree"),
  col_scheme = "dark"
)
```

## Arguments

<code>structures</code>	The vector of types of structures (defaults listed in <a href="#">extract_osm_objects</a> ).
<code>col_scheme</code>	Colour scheme for the plot (current options include dark and light).

## Value

`data.frame` of structures, key-value pairs, corresponding prefixes, and colours.

**See Also**

[make\\_osm\\_map](#).

Other construction: [add\\_osm\\_objects\(\)](#), [make\\_osm\\_map\(\)](#), [osm\\_basemap\(\)](#), [print\\_osm\\_map\(\)](#)

**Examples**

```
# Default structures:
osm_structures ()
# user-defined structures:
structures <- c ("highway", "park", "ameniiy", "tree")
structs <- osm_structures (structures = structures, col_scheme = "light")
# make_osm_map returns potentially modified list of data
## Not run:
dat <- make_osm_map (osm_data = london, structures = structs)
# map contains updated $osm_data and actual map in $map
print_osm_map (dat$map)

## End(Not run)
```

---

print\_osm\_map

*print\_osm\_map*


---

**Description**

Prints an OSM map produced with `osmplotr` to a specified graphics device.

**Usage**

```
print_osm_map(
  map,
  width,
  height,
  filename,
  device,
  units = c("in", "cm", "mm", "px"),
  dpi = 300
)
```

**Arguments**

<code>map</code>	The map to be printed; a <code>ggplot2</code> object produced by <code>osmplotr</code> .
<code>width</code>	Desired width of graphics device.
<code>height</code>	Desired height of graphics device. Ignored if width specified.
<code>filename</code>	Name of file to which map is to be printed.
<code>device</code>	Type of graphics device (extracted from filename extension if not explicitly provided).
<code>units</code>	Units for height and width of graphics device.
<code>dpi</code>	Resolution of graphics device (dots-per-inch).

**See Also**

[osm\\_basemap](#), [add\\_osm\\_objects](#), [make\\_osm\\_map](#).

Other construction: [add\\_osm\\_objects\(\)](#), [make\\_osm\\_map\(\)](#), [osm\\_basemap\(\)](#), [osm\\_structures\(\)](#)

**Examples**

```
bbox <- get_bbox (c (-0.13, 51.5, -0.11, 51.52))
map <- osm_basemap (bbox = bbox, bg = "gray20")
map <- add_osm_objects (map, london$dat_BNR, col = "gray40")
print_osm_map (map, width = 7) # prints to screen device
## Not run:
print_osm_map (map, file = "map.png", width = 500, units = "px")

## End(Not run)
```

# Index

- \* **colours**
    - adjust\_colours, 14
    - colour\_mat, 15
  - \* **construction**
    - add\_osm\_objects, 8
    - make\_osm\_map, 21
    - osm\_basemap, 24
    - osm\_structures, 26
    - print\_osm\_map, 27
  - \* **data-extraction**
    - connect\_highways, 16
    - extract\_osm\_objects, 17
    - get\_bbox, 19
  - \* **datasets**
    - london, 20
  - \* **data**
    - london, 20
  - \* **map-extra**
    - add\_axes, 2
    - add\_colourbar, 3
    - osm\_line2poly, 25
  - \* **maps-with-data**
    - add\_osm\_groups, 5
    - add\_osm\_surface, 10
  - \* **package**
    - osmplotr, 22
- add\_axes, 2, 4, 22, 25
- add\_colourbar, 3, 3, 11, 22, 25
- add\_osm\_groups, 5, 11, 15, 17, 22
- add\_osm\_objects, 6, 8, 18, 22, 24, 27, 28
- add\_osm\_surface, 3, 4, 6, 10, 22
- adjust\_colours, 14, 15, 23
- colour\_mat, 6, 14, 15, 23
- connect\_highways, 16, 18, 20, 22
- extract\_osm\_objects, 6, 8–11, 17, 17, 19–22, 25, 26
- get\_bbox, 17, 18, 19, 23
- london, 20, 23
- make\_osm\_map, 9, 19, 21, 22, 24, 26–28
- osm\_basemap, 3, 4, 8–11, 19, 22, 24, 27, 28
- osm\_line2poly, 3, 4, 25
- osm\_structures, 9, 14, 21, 22, 24, 26, 28
- osmplotr, 22
- osmplotr-package (osmplotr), 22
- print\_osm\_map, 9, 22, 24, 27, 27
- shape, 6, 9