

Package: qcoder (via r-universe)

July 12, 2024

Title Lightweight Qualitative Coding

Version 0.1.0

Description A free, lightweight, open source option for analyzing text-based qualitative data. Enables analysis of interview transcripts, observation notes, memos, and other sources. Supports the work of social scientists, historians, humanists, and other researchers who use qualitative methods. Addresses the unique challenges faced in analyzing qualitative data analysis. Provides opportunities for researchers who otherwise might not develop software to build software development skills.

Depends R (>= 3.4.0)

License GPL-3 + file LICENSE

Encoding UTF-8

LazyData true

Imports assertthat, dplyr (>= 0.7), DT, here, magrittr, readr, shiny, shinyAce (>= 0.4.0), shinyFiles, shinyjs, shinythemes, stringi, stringr, zip (>= 2.0.3)

Suggests knitr, rmarkdown, testthat (>= 2.0.0), withr, covr, pander, textreadr

URL <https://github.com/ropenscilabs/qcoder>

BugReports <https://github.com/ropenscilabs/qcoder/issues>

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Collate 'read_in_files.R' 'parse_qcodes.R' 'qcoder-package.R' 'utils.R' 'selection.R'

Repository <https://ropensci.r-universe.dev>

RemoteUrl <https://github.com/ropenscilabs/qcoder>

RemoteRef master

RemoteSha d8743f70f4243a2d45bfd0f4dee4ca089d629ad5

Contents

qcoder-package	2
add_code	3
add_codes_to_selection	3
add_discovered_code	4
add_new_documents	4
add_unit	5
build_paths	5
create_empty_code_file	6
create_empty_docs_file	7
create_empty_units_file	7
create_empty_unit_doc_file	8
create_qcoder_project	8
do_update_document	9
error_check	9
get_codes	10
import_project_data	10
parse_one_document	11
parse_qcodes	11
parse_splititem	12
qcode	13
qcode_custom	13
read_code_data	14
read_data	14
read_documents_data	15
read_unit_data	16
read_unit_document_map_data	16
txt2html	17
update_links	18
validate_project	18
validate_project_files	19
Index	20

qcoder-package	<i>Code Qualitative Data A light weight approach to qualitative coding and analysis</i>
----------------	---

Description

Light weight coding

add_code	<i>Add code Append a new unit record to the existing data frame</i>
----------	---

Description

Add code Append a new unit record to the existing data frame

Usage

```
add_code(codes_df, new_code, new_code_desc, codes_df_path)
```

Arguments

codes_df	Existing codes data frame
new_code	text name of a new code (single name only)
new_code_desc	text description of the code
codes_df_path	full path to the codes data frame

Examples

```
unlink("./_my_qcoder_project", recursive=TRUE)
```

add_codes_to_selection	<i>Adds codes surrounding the selected text</i>
------------------------	---

Description

Adds codes surrounding the selected text

Usage

```
add_codes_to_selection(selection, codes)
```

Arguments

selection	The selection of text to be coded
codes	The code or codes to be added to the document

add_discovered_code	<i>Update codes data frame Add discovered codes to the codes data frame</i>
---------------------	---

Description

Update codes data frame Add discovered codes to the codes data frame

Usage

```
add_discovered_code(
  codes_list = "",
  code_data_frame = NULL,
  codes_df_path = ""
)
```

Arguments

codes_list	A list of codes (usually from a coded document)
code_data_frame	Existing data frame of QCODE codes
codes_df_path	The path where the updated code data frame should be saved

add_new_documents	<i>Add new documents Adds new document or documents to an existing documents data frame.</i>
-------------------	--

Description

Add new documents Adds new document or documents to an existing documents data frame.

Usage

```
add_new_documents(files, docs_df_path = "", file_path = "")
```

Arguments

files	Vector of new files to be added
docs_df_path	Path to existing data frame of text documents
file_path	Full path to the data set of documents including trailing slash

Examples

```
create_qcoder_project(project_name = "my_qcoder_project", sample = TRUE)

unlink("./my_qcoder_project", recursive=TRUE)
```

add_unit	<i>Add unit Append a new unit record to the existing data frame</i>
----------	---

Description

Add unit Append a new unit record to the existing data frame

Usage

```
add_unit(units_df, new_unit, units_df_path)
```

Arguments

units_df	Existing units data frame
new_unit	text name of a new unit (single name only)
units_df_path	full path to the units data frame

Examples

```
unlink("./_my_qcoder_project", recursive=TRUE)
```

build_paths	<i>Build the paths for file creation</i>
-------------	--

Description

Builds the paths to the data to be imported and to the data frame where the imported data is to be stored. The project name is required, all other parameters may be set. These each represent a segment of the path to a file. If a project path is not set or set to "" it will be set to the current working directory via getwd(). The Shiny qcode application assumes that the data frame folder will be "data_frames" and that any new documents to be imported will be in a folder called "documents".

Usage

```
build_paths(  
  project_name,  
  data_path = "",  
  data_frame_name = "",  
  df_path = "data_frames",  
  project_path = ""  
)
```

Arguments

project_name	Name of the project
data_path	Path segment to the data. The format for this may depend on the function using the paths.
data_frame_name	Name of the data frame that will contain the data
df_path	path segment(s) to the created data frame file from the project path
project_path	Path to the project (not including project_name). This will be set to getwd() if a value of "" is passed in.

Value

A named list of paths. "data_frame_path" is the path to the data frame and "data" is the path to the data.

```
create_empty_code_file
```

Create an empty codes data set

Description

Used to create a codes data frame with no data but that can have data added. File is placed in the data_frames folder.

Usage

```
create_empty_code_file(path)
```

Arguments

path	Full path to data frame to be created.
------	--

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project")
path <- file.path(getwd(),
  "_my_qcoder_project/data_frames/qcoder_codes__my_qcoder_project")
create_empty_docs_file(path)
unlink("../_my_qcoder_project", recursive=TRUE)
```

`create_empty_docs_file`*Create an empty documents data set*

Description

Used to create a codes data frame with no data but that can have data added. File is placed in the data_frames folder.

Usage

```
create_empty_docs_file(path)
```

Arguments

path Full path to data frame to be created.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project")
path <- file.path(getwd(),
  "_my_qcoder_project/data_frames/qcoder_docs__my_qcoder_project")
create_empty_docs_file(path)
unlink("../_my_qcoder_project", recursive=TRUE)
```

`create_empty_units_file`*Define an empty units data frame*

Description

Define an empty units data frame

Usage

```
create_empty_units_file(path)
```

Arguments

path Full path to data frame to be created.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project")
path <- file.path(getwd(),
  "_my_qcoder_project/data_frames/qcoder_units__my_qcoder_project")
create_empty_docs_file(path)
unlink("../_my_qcoder_project", recursive=TRUE)
```

create_empty_unit_doc_file

Define an empty many to many unit to document map

Description

Define an empty many to many unit to document map

Usage

```
create_empty_unit_doc_file(path)
```

Arguments

path Full path to data frame to be created.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project")
path <- file.path(getwd(),
  "_my_qcoder_project/data_frames/qcoder_units_document_map__my_qcoder_project")
create_empty_docs_file(path)
unlink("./_my_qcoder_project", recursive=TRUE)
```

create_qcoder_project *Create a standard set of folders for a QCoder project*

Description

Create a standard set of folders for a QCoder project

Usage

```
create_qcoder_project(project_name, sample = FALSE)
```

Arguments

project_name A string project name to be located in the current working directory or a path to a project folder.

sample Logical that indicates that the sample data should be copied to the project.

Examples

```
create_qcoder_project(project_name = "my_qcoder_project")
unlink("./my_qcoder_project", recursive=TRUE)
```

do_update_document	<i>Update document Updates the text field of the documents data frame, typically after pressing Save button in the Shiny App. May also be used in the console.</i>
--------------------	--

Description

Update document Updates the text field of the documents data frame, typically after pressing Save button in the Shiny App. May also be used in the console.

Usage

```
do_update_document(updated, docs_df_path, this_doc_path)
```

Arguments

updated	The updated text as a character string
docs_df_path	Location of the documents rds file.
this_doc_path	Name of record to be updated, as recorded in "doc_path" field of data frame.

Examples

```
unlink("../my_qcoder_project", recursive=TRUE)
```

error_check	<i>Check for coding errors</i>
-------------	--------------------------------

Description

Checks the current document for coding errors.

Usage

```
error_check(document)
```

Arguments

document	A string to be scanned for errors.
----------	------------------------------------

Details

This function takes a string (such as the contents of a document), and conducts some basic linting. It returns a warning if there aren't a matching number of (QCODE) tags, or if text has been marked to be captured but the capture is missing a tag (missing {#my_tag}).

Value

A warning message as a character string.

Examples

```
error_check("An (QCODE)unmatched set of (QCODE) gives (/QCODE){#tag} a warning.")
error_check("A (QCODE) qcode with a missing tag gives a warning.")
```

get_codes	<i>Extract codes from text Take coded text and extract the codes, assuming they are correctly formatted.</i>
-----------	--

Description

Extract codes from text Take coded text and extract the codes, assuming they are correctly formatted.

Usage

```
get_codes(doc_text)
```

Arguments

doc_text The text data for a single document

Examples

```
unlink("./my_qcoder_project", recursive=TRUE)
```

import_project_data	<i>Read data into a project Convenience method to read raw data from standard locations and using standard names in a project folder structure.</i>
---------------------	---

Description

Read data into a project Convenience method to read raw data from standard locations and using standard names in a project folder structure.

Usage

```
import_project_data(project_name)
```

Arguments

project_name The project name. This should represent the folder holding the project.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project", sample = TRUE)
import_project_data("_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

parse_one_document *Parse one document*

Description

Parse one document

Usage

```
parse_one_document(doc, df, qcoder_documents, dots = NULL)
```

Arguments

doc	A single document from qcoder_data
df	The data frame that will contain the parsed data
qcoder_documents	The full documents data frame
dots	Other parameters that may be passed in.

Examples

```
unlink("./my_qcoder_project", recursive=TRUE)
```

parse_qcodes *Parse coded text*

Description

Take a data frame of coded text documents and return a data frame of the codes captured within.

Usage

```
parse_qcodes(x, ...)
```

Arguments

x	A data frame containing the text to be coded; requires columns "doc_id" and "document_text"
...	Other parameters optionally passed in

Details

This function takes a text document containing coded text of the form:

```
"stuff to ignore (QCODE) coded text we care about (/QCODE){#my_code}
more stuff to ignore"
```

and turns it into a data frame with one row per coded item, of the form: docid, qcode, text

parse_qcodes assumes that it is being passed a data frame, the [parse_one_document](#) function is called to do the heavy lifting extracting the coded text from the document_text column.

Newline characters are replaced with an HTML
 in the captured text.

If no valid qcodes are found, parse_qcodes returns an empty data frame (no rows).

Value

If the data frame contains coded text in the document_text column, output will be a data frame with three columns: "doc", "qcode", and "text".

The `{doc}` is the `{doc_id}` from the input data frame.

`{qcode}` is the code that the captured text was marked up with.

`{text}` is the text that was captured.

Examples

```
parse_qcodes(my_documents)

# Data frames can be piped into this function
my_documents %>%
  parse_qcodes()
```

parse_splititem

Parse a single item within a document

Description

Parse a single item within a document

Usage

```
parse_splititem(splititem, df, doc_id, dots)
```

Arguments

splititem	String usually generated by parse_one_document()
df	Data frame for storing parsed data
doc_id	The doc_id for the document this string is part of.
dots	List of additional options passed in.

qcode	<i>This launches the coder Shiny app</i>
-------	--

Description

This launches the coder Shiny app

Usage

```
qcode(use_wd = TRUE)
```

Arguments

use_wd	Whether or not the current working directory when launching qcoder should be used as the base from which the project file is selected.
--------	--

Examples

```
if (interactive()) {  
  qcode()  
}
```

qcode_custom	<i>This launches the coder custom Shiny app</i>
--------------	---

Description

This launches the coder custom Shiny app

Usage

```
qcode_custom()
```

Examples

```
if (interactive()) {  
  qcode_custom()  
}
```

read_code_data	<i>Create a file of codes from csv file Use this if you have a spreadsheet of codes already created.</i>
----------------	--

Description

Create a file of codes from csv file Use this if you have a spreadsheet of codes already created.

Usage

```
read_code_data(
  project_name,
  data_path = "codes/codes.csv",
  df_path = "data_frames",
  data_frame_name = "qcoder_codes",
  project_path = ""
)
```

Arguments

project_name	Name of the project, which matches folder name
data_path	Path to a file containing code data in csv.
df_path	Full path to the codes data frame.
data_frame_name	The name of the RDS file that the data frame will be stored in.
project_path	Full path to the project folder

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project", sample = TRUE)
read_code_data(project_name = "_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

read_data	<i>This launches the data-reader Shiny app</i>
-----------	--

Description

This launches the data-reader Shiny app

Usage

```
read_data()
```

Examples

```
## Not run:  
read_data()  
  
## End(Not run)
```

read_documents_data *Create a data frame of documents*

Description

Create a data frame of documents

Usage

```
read_documents_data(  
  project_name,  
  data_path = "documents/",  
  df_path = "data_frames",  
  data_frame_name = "qcoder_documents",  
  project_path = ""  
)
```

Arguments

project_name	Name of the Qcoder project
data_path	path to a folder contain text files to be analyzed.
df_path	Full path to the docs data frame.
data_frame_name	The name of the RDS file that the data frame will be stored in.
project_path	Full path to the project folder.

Examples

```
## Not run:  
read_documents_data("_my_qcoder_project")  
  
## End(Not run)
```

read_unit_data	<i>Create a data frame of units from csv file Use this is you have a spreadsheet of units already created.</i>
----------------	--

Description

Create a data frame of units from csv file Use this is you have a spreadsheet of units already created.

Usage

```
read_unit_data(
  data_path = "units/units.csv",
  data_frame_name = "qcoder_units",
  project_name,
  project_path = "",
  df_path = "data_frames"
)
```

Arguments

data_path	path to a file containing unit data in csv.
data_frame_name	The name of the RDS file that the data frame will be stored in.
project_name	Name of project if available
project_path	Full path to the project folder.
df_path	Full path to the units data frame.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project", sample = TRUE)
read_unit_data(project_name = "_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

read_unit_document_map_data	<i>Create a data frame of unit to document links from csv file Use this is you have a spreadsheet already created.</i>
-----------------------------	--

Description

Create a data frame of unit to document links from csv file Use this is you have a spreadsheet already created.

Usage

```
read_unit_document_map_data(
  project_name,
  data_path = "units/unit_document_map.csv",
  data_frame_name = "qcoder_unit_document_map",
  project_path = "",
  df_path = "data_frames"
)
```

Arguments

project_name	Name of project
data_path	path to a file containing unit document map data in csv.
data_frame_name	The name of the RDS file that the data frame will be stored in.
project_path	Full path to the project folder
df_path	Full path to the documents data frame.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project", sample = TRUE)
project_name = "_my_qcoder_project"
read_unit_document_map_data( project_name = "_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

txt2html

Format text as HTML Minimal conversion of a text to html

Description

Format text as HTML Minimal conversion of a text to html

Usage

```
txt2html(text)
```

Arguments

text	text to be converted
------	----------------------

Examples

```
txt2html("The quick brown (QCODE)fox(/QCODE){#animal} jumped over ")
```

update_links	<i>Update document to unit links Saves or updates the links between observation units and documents</i>
--------------	---

Description

Update document to unit links Saves or updates the links between observation units and documents

Usage

```
update_links(
  checked = "",
  docs_df_path = "",
  this_doc_path = "",
  units_docs_path = ""
)
```

Arguments

checked	vector of new or updated links
docs_df_path	full path to document dataset
this_doc_path	value of doc_path for the document
units_docs_path	full path of the data frame of unit to docs links

Examples

```
unlink("./_my_qcoder_project", recursive=TRUE)
```

validate_project	<i>Check for a valid qcoder project</i>
------------------	---

Description

Check for a valid qcoder project

Usage

```
validate_project(path_to_test)
```

Arguments

path_to_test	Path to possible project folder
--------------	---------------------------------

Value

NULL for valid project, Error otherwise.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project")
validate_project("_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

validate_project_files

Check for required imported data frames.

Description

Check for required imported data frames.

Usage

```
validate_project_files(path_to_test)
```

Arguments

path_to_test Path to possible project folder

Value

NULL for valid project, Error otherwise.

Examples

```
create_qcoder_project(project_name = "_my_qcoder_project", sample = TRUE)
import_project_data("_my_qcoder_project")
validate_project_files("_my_qcoder_project")
unlink("./_my_qcoder_project", recursive=TRUE)
```

Index

[add_code](#), [3](#)
[add_codes_to_selection](#), [3](#)
[add_discovered_code](#), [4](#)
[add_new_documents](#), [4](#)
[add_unit](#), [5](#)

[build_paths](#), [5](#)

[create_empty_code_file](#), [6](#)
[create_empty_docs_file](#), [7](#)
[create_empty_unit_doc_file](#), [8](#)
[create_empty_units_file](#), [7](#)
[create_qcoder_project](#), [8](#)

[do_update_document](#), [9](#)

[error_check](#), [9](#)

[get_codes](#), [10](#)

[import_project_data](#), [10](#)

[parse_one_document](#), [11](#), [12](#)
[parse_qcodes](#), [11](#)
[parse_splititem](#), [12](#)

[qcode](#), [13](#)
[qcode_custom](#), [13](#)
[qcoder \(qcoder-package\)](#), [2](#)
[qcoder-package](#), [2](#)

[read_code_data](#), [14](#)
[read_data](#), [14](#)
[read_documents_data](#), [15](#)
[read_unit_data](#), [16](#)
[read_unit_document_map_data](#), [16](#)

[txt2html](#), [17](#)

[update_links](#), [18](#)

[validate_project](#), [18](#)
[validate_project_files](#), [19](#)